



We are passionate about developing excellent quality and innovative idea products at the most cost effective prices. We strive to provide honest customer service to our international business partners.

Lutou Technology Co., Ltd
www.lutou-tech.com/info@lutou-tech.com/+86-755-28716871
Huinan Hi-tech industrial park, Huizhou, Guangdong
© 2022 Lutou Tech

www.lutou-tech.com
lutou-tech.en.alibaba.com

ABOUT LT TECHNOLOGY

LT Technology is a supplier of high performance landscape retrofit lamps, fixtures and transformers. Our core team has over 10 years experience on developing and manufacturing landscape lighting system. We have served the clients from North America, Europe, Asia, etc.

OUR PURPOSE

We are passionate about developing excellent quality and innovative idea products at the most cost effective prices. We strive to provide honest customer service to our international business partners.

CONTECTS

MR16.....	3-6	PATH LIGHT.....	27-32
PAR36.....	7-8	WALL WASHING.....	33-34
MR11.....	9-10	IN-GROUND LIGHT.....	35-40
MR8.....	11-12	INTEGRATED FIXTURES.....	41-52
G4.....	13-16	BISTRO LIGHT.....	53-58
BAYONET/WEDGE.....	17-18	REAPTER.....	59-60
HARDSCAPE LIGHT.....	19-22	UNDERWATER LIGHT DECK LIGHT WALL SCONCE DOWN LIGHT	61-64
UP LIGHT.....	23-26	TRANSFORMER.....	65-67
		ACCESSORIES.....	68-69

OUR PRODUCTS

We specialize in customizing landscape lighting products and strive to provide customers the Quality Materials, High Performance, Reliability, Aesthetics and unique Features, which make you outstanding and more competitive in the marketplace.



Transformers

Path Lighting

Up lighting

Well Lighting

Hardscape Lighting

Underwater Lighting

Step Lighting

Flood Lighting



- The MR16 LED lamp has been designed to fit into standard, low voltage, MR16 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture and provides added security by automatically cooling down (and reducing lumens output) only when exposed to extreme heat (air temperatures above 125F).
- In addition, there is no color shift when lumens output is reduced, and the overall lamp life is improved.

LAMP / LT1016A(MR16)




SPECIFICATIONS

Wattage	4/5/6/7W
Lumen	360/450/530/600LM
Beam Spread	15/30/45/60/100°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20/35/50/65W Halogen
Lamp life	50,000 Hours
Warranty	5 years


FEATURES

- IP65 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LAMP / LT1016C(6 LED)




SPECIFICATIONS

Wattage	5/8W
Lumen	550/850LM
Beam Spread	15/30/45/60°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

IP65 Waterproof
Self-cooling Device
Fully potted Electronics

DIMENSIONS



LAMP / LT1016C(Smart)




SPECIFICATIONS

Part#	LT1016C-B/LT1016C-W
Wattage	6W
Voltage	9-17V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	15°/30°/45°/60°
CRI	85
Control mode	Bluetooth or Wi-Fi
Waterproof level	IP65
Warranty	5 years

FEATURES

WIFI control and Bluetooth control available
Colors and brightness adjustable by APP
Download Tuya APP to change lamp settings
Control system customizable

DIMENSIONS




LAMP / LT1036(PAR36)



SPECIFICATIONS

Wattage	6/10/13/17W
Lumen	590/800/1130/1300LM
Beam Spread	38/60°
Operating Range	9-17V AC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	35/50/75/100W Halogen
Lamp life	50,000 Hours
Warranty	5 years


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

- IP67 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS



LAMP / LT1036(Smart)




SPECIFICATIONS


Part#	LT1036-B/LT1036-W
Wattage	10W
Voltage	9-17V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	38°/60°
CRI	85
Control mode	Bluetooth or Wi-Fi
Waterproof level	IP67
Warranty	5 years

FEATURES

- IP67 Waterproof
- Self-cooling Device
- Fully potted Electronics

DIMENSIONS





- The MR11 LED lamp has been designed to fit into standard, low voltage, MR11 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture


LAMP / LT1011(MR11)



SPECIFICATIONS


Wattage	2.5W
Lumen	180LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

Fully potted Electronics and IP54 Weatherproof
Suitable for enclosed fixtures and damp location





- The MR8 LED lamp has been designed to fit into standard, low voltage, MR8 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture


LAMP / LT108(MR8)



SPECIFICATIONS

Wattage	2.5W
Lumen	160LM
Beam Spread	38/60/120°
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



FEATURES

Fully potted Electronics and IP54 Weatherproof
Suitable for enclosed fixtures and damp location

DIMENSIONS





- The G4 LED lamp has been designed to fit into standard, low voltage, G4 fixtures.
- These LED's are thermally engineered to operate in enclosed fixture.

LAMP / LT104(G4)




SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20/30/40W Halogen
Lamp life	50,000 Hours
Warranty	5 years


FEATURES

- IP65 Waterproof
- Brass Construction
- Fully potted Electronics

DIMENSIONS



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




LAMP



LT104A1

Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A2

Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A3



Wattage	2W
Lumen	180LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LAMP



LT104A4

Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	25-30W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A6/LT104A7


Wattage	4W
Lumen	380LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	25-30W Halogen
Lamp life	25,000 Hours
Warranty	3 years



LT104A5

Wattage	2W
Operating Range	12V AC/DC
LED Color Available	Wi-Fi RGB
Lamp life	25,000 Hours
Warranty	3 years

LAMP



LT104W1

Wattage	1W
Lumen	100LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years


LAMP



LT104B1/LT104B2


Wattage	1/3W
Lumen	100/270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	10-15W/20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104W2



Wattage	3W
Lumen	270LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	20-25W Halogen
Lamp life	25,000 Hours
Warranty	3 years

LT104B3



Wattage	5W
Lumen	400LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	2700K-6000K
LED Color Available	Red/Green/Blue/Amber
Replaces	35-40W Halogen
Lamp life	25,000 Hours
Warranty	3 years



HARDSCAPE LIGHT

BRASS



LT2701P



Shorter mounting bracket



Wall Anchor


SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES


- IP65 Waterproof
- Brass Construction
- Fully potted Electronics
- Glare proof
- Modular design and replaceable

DIMENSIONS



HARDSCAPE LIGHT

ALUMINUM



LT2701E



Shorter mounting bracket



Wall Anchor


SPECIFICATIONS

Wattage	2/3/4W
Lumen	200/300/400LM
Operating Range	9-17V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	50,000 Hours
Warranty	5 years

FEATURES

- IP65 Waterproof
- Aluminum Construction
- Fully potted Electronics
- Glare proof
- Modular design and replaceable

DIMENSIONS




HARDSCAPE LIGHT


ALUMINUM



LT2702A



LT2702B



LT2702C


SPECIFICATIONS

Wattage	0.5/1.5/2.5W
Lumen	50/160/240LM
Operating Range	12V AC/DC
CRI	85
Color Temperature	WW 2700-3000K NW 4000K CW 6000k
LED Color Available	Red/Green/Blue/Amber
Replaces	20W Halogen
Lamp life	25,000 Hours
Warranty	3 years

FEATURES

- IP65 Waterproof
- Aluminum Construction
- Fully potted Electronics


UP LIGHT



LT2101


LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear

UP LIGHT




LT2103

LAMP	MR11(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear



LT2102

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear



LT2104


LAMP	MR8/Module(not included)
Wattage	Up to 50W
Finish	Bronze
Material	Die-cast Brass
lens	Clear

UP LIGHT




LT2105

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT2106

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



UP LIGHT




LT2107

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT2108

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2401

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Clear



LT2402

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2403

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Frosted



LT2404

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



PATH LIGHT



LT2405

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Clear



LT2406

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




PATH LIGHT




LT2411

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



PATH LIGHT



LT2412

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Solid Brass
lens	Clear



LT2413


LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear

PATH LIGHT




LT2414

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




WALL WASHING



LT2301


LAMP	G4 (not included)
Wattage	Up to 25W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted

WALL WASHING



LT2303

LAMP	G4 (not included)
Wattage	Up to 25W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted



LT2304


LAMP	PAR36 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear



LT2302

LAMP	MR16/G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear / Frosted


CHEAPER
VERSION



LT2305

LAMP	PAR36 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear


IN-GROUND LIGHT



LT2202A


LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear

IN-GROUND LIGHT




LT2203A

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear



LT2202B

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear



LT2203B


LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear

IN-GROUND LIGHT



LT2204A

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear




IN-GROUND LIGHT




LT2204B

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear




LT2204C

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear




IN-GROUND LIGHT



LT2205A


LAMP	PAR36 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear

IN-GROUND LIGHT




LT2206A

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear



LT2205B



LAMP	PAR36 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear




LT2206B

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass & PVC
lens	Clear


INTEGRATED FIXTURES



LT2501	
Wattage	1-5W(Adjustable)
Lumen	80-400LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	160°
Finish	Antique Bronze
Material	Die-cast Brass





LT2502	
Wattage	5W
Lumen	550LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass




LT2503	
Wattage	2W
Lumen	240LM
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass



INTEGRATED FIXTURES



LT2505	
Wattage	3-12W (Adjustable)
Lumen	240-840LM
Voltage	12VAC/DC
CCT	2700-6000K
Beam Spread	24/38/60°
Finish	Antique Bronze
Material	Die-cast Brass




LT2505B	
Wattage	12W
Lumen	1440LM
Voltage	12VAC/DC
CCT	Changeable
Beam Spread	24/38/60°
Finish	Antique Bronze
Material	Die-cast Brass



INTEGRATED FIXTURES




ADJUSTABLE WATTAGE
AND BRIGHTNESS



LT2506L

Wattage	6-24W(Adjustable)
Lumen	2000lm(Max)
Voltage	12V AC/DC
CCT	2700-6000K
Beam Spread	20-60°
Finish	Antique Bronze
Material	Die-cast Brass

INTEGRATED FIXTURES




LT2506LB

Wattage	1-10W(Adjustable)
Voltage	12V AC/DC
CCT	2700-6000K
Color	RGBW
Beam spread	20-60°(Adjustable)
CRI	85
Control mode	Bluetooth
Waterproof level	IP67
Warranty	5 years

FEATURES

- Bluetooth control available
- Adjustable and lockble beam angle from 20° to 60°
- RGBW controlled by smart phone
- Download Tuya APP to change the settings
- Dimmable is available in smart control or manually operated

Powered By
tuya



INTEGRATED FIXTURES



ADJUSTABLE WATTAGE
AND BRIGHTNESS




ADJUSTABLE WATTAGE



TOOL ACCESSORIES





FRONT



LT2501B

Wattage	2-7W(Adjustable)
Lumen	650lm(Max)
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass


INTEGRATED FIXTURES



ADJUSTABLE WATTAGE





FROSTED/CLEAR LENS




LT2502B

Wattage	3-5W(Adjustable)
Lumen	450lm(Max)
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	/
Finish	Antique Bronze
Material	Die-cast Brass


HRADSCAPE LIGHT



ADJUSTABLE WATTAGE



ACCESSORIES



LT2705

Wattage	1-4W(Adjustable)
Lumen	360lm(Max)
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	120°
Finish	Antique Bronze
Material	Die-cast Brass



INTEGRATED FIXTURES



LT2507A

Wattage	7W/12W/20W
Lumen	670/1120/1800LM
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	160°
Material	Die-cast Aluminum



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



LT2507B

Wattage	40W
Lumen	3400LM
Voltage	12V AC/DC
CCT	2700-5000K
Beam Spread	160°
Material	Die-cast Aluminum

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM






BISTRO LIGHT



LT6101-12

Wattage	1W
CCT	2200/2700/3000K
LUMENS	75LM
VOLTAGE	12V AC/DC
BASE	MEDIUM (E26)
MATERIAL	Plastic/Glass




LT6101-120

Wattage	1W
CCT	2200/2700/3000K
LUMENS	150LM
VOLTAGE	120V AC
BASE	MEDIUM (E26)
MATERIAL	Plastic/Glass


BISTRO LIGHT



LT6201



LT6202



48ft
576inch

24
Sockets

24+1
S14 Bulbs



16/18/20
Gauge
For Options



HOLIDAY LIGHT



LT6301	
120V 5MM MINI LED STRING	
WATTAGE	14.4W
VOLTAGE	110VAC
LED Color	Red/Yellow
LED QTY.	100LT
WIRE	22AWG CXTW
SIZE	4*4*4mm
PLUG	Normal Plug/Female Plug



LT6901-A01
Y SPLITER



LT6901-A02
X SPLITER



LT6901-A03
1FT lead and IP44 coaxial
connection CXTW22#



LT6102-C	
TYPE	C7/C9
WATTAGE	0.5W
VOLTAGE	110VAC
LED Color	Red/Yellow/Green
BASE	E12/E17



LT6102-M	
TYPE	C7/C9
WATTAGE	0.8W
VOLTAGE	110VAC
Color	Multi-color
BASE	E12/E17



LT6203	
TYPE	C7/C9
VOLTAGE	110VAC
BASE	E12/E17
SIZE	1000LT/1000FT
WIRE	18AWG SPT-1W



LT6901-A04
3FT Commercial string
extension cord



LT6901-A05
Female(Male) plug/
For 18AWG SPT-1 Wire



LT6901-A06
Stake



LT6901-A07
Shingle tab


SMART BLUETOOTH REPEATER



LT5101

Product Name	Smart Bluetooth Repeater
Operating Voltage	12V AC/DC
Frequency Range	2400-2500 (MHz)
Output Impedance	50 (Ω)
Voltage Standing Wave Ratio \leq	1.8 (dB)
Antenna type	2.4G Bluetooth gain antenna
Operating system	Tuya smart
Maximum coverage radius	80 meters (without any obstacle)
IP Rate	IP 65
Material	Aluminum, PVC
Operating Temperature	-40 $^{\circ}$ C ~40 $^{\circ}$ C

DIMENSIONS



INSTRUCTION

1. Download Tuya App
 2. Open App and power the device
 3. The first time use, click the switch four times to reset
 4. Click the "+" on top right corner, choose "discover automatically", search the devices and add them on.
 5. Revise the name of the devices
 6. Create the groups for the items that need to be controlled, then it works.
- * The repeater can only be used for the Tuya sig mesh Bluetooth products.



Power By



ANDROID APP ON
Google play


Available on the
App Store

UNDERWATER LIGHT



LT2801

LAMP	MR16(not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




DECK LIGHT



LT2601

LAMP	G4 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Frosted




WALL SCONCE



LT2602

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Clear




DOWN LIGHT



LT2603

LAMP	MR16 (not included)
Wattage	Up to 50W
Finish	Antique Bronze
Material	Die-cast Brass
lens	Frosted



TRANSFORMER



LT3075

Power	75W
Input Voltage	120VAC
Output Voltage	12/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	4.4"x 9.8"x 5"



TRANSFORMER



LT3150

Power	150W
Input Voltage	120VAC
Output Voltage	12/13/14/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	6.1"x 13.7"x 5.3"



LT3300

Power	300W
Input Voltage	120VAC
Output Voltage	12/13/14/15 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	6.1"x 13.7"x 5.3"



TRANSFORMER



◀ LT3600

Power	600W
Input Voltage	120VAC
Output Voltage	12/13/14/15/16/17/18/22 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	7.44"x 16.1"x 6.5"



LT3900 ▶

Power	900W
Input Voltage	120VAC
Output Voltage	12/13/14/15/16/17/18/22 VAC
Type	Toroidal
Finish	304 Stainless Steel
Size	8.46"x 19"x 7.24"

ACCESSORIES



Plastic Stake
LT401A



Brass Stake
LT401C



Plastic Stake
LT401E



Stake Cover
LT401Z




Brass Tree Mount
LT402A



Gutter Mount
LT402C

ACCESSORIES



Hex Louvre Lens
LT403



Timer
LT407M/LT407D



Brass Locknut
LT404



Photocell
LT408



Wire Connector
LT405



WIFI Socket
LT409



Brass Riser
3"/7"/12"/18"/24"
LT406



Brass Connector
LT410L

