

# ECO-SOUND™ BLAZEMASTER™

For a quieter fire safe work environment.



# ECO-SOUND™ BLAZEMASTER™

**A multi-purpose solution to noise reduction  
and fire safety in the workplace.**




Adboards new and exclusive Eco-Sound™ Blazemaster™ noticeboards are made from 100% recycled PET with fire resistant and acoustic properties, making this noticeboard ideal for use within busy public spaces, learning, office and general working environments.

Eco-Sound™ Blazemaster™ notice boards are self-coloured pinnable boards made from recycled and recyclable materials and are available in a choice of 14 colours to accommodate any environment. As part of our Blazemaster™ range, these products have been independently tested and classified as Class B according to European Reaction to Fire Test BS EN 13501-1 Class B to meet public area building regulations for mounting in sensitive areas such as corridors, stairways and entrances.

Under laboratory conditions, Adboards Eco-Sound™ Blazemaster™ noticeboard products can achieve an NRC (Noise Reduction Coefficient) rating up to an impressive 0.8 and are fully certified to BS EN ISO 11654: 1997 Class E. These noticeboards aid the reduction of noise transfer in busy environments. An acoustic wall feature can be created by mounting these frameless boards side by side. Easy through the board portrait or landscape wall mounting with fixings is provided.







Eco-Sound™ Unframed Noticeboard

These frameless Eco-Sound™ noticeboards can be installed on walls and ceilings, in office furniture systems, as decorative tiles and even finished products. The big advantage with the unframed boards is that several boards can be grouped side by side to cover a larger area, particularly useful in environments where noise is higher, and they can be mounted either portrait or landscape format.

These are the most cost-effective product in the range, and once mounted to the wall give an appearance of clean lines and crisp corners and are easy to fit with a wall fixing kit supplied.

- Flame retardant to BS EN ISO 13501 Class B
- Soundproof to BS EN ISO 11654:1997 Class E
- Simple, neat and clean appearance
- Able to cover larger area by grouping boards
- 100% recycled PET
- Fixing kit supplied

Size (mm)	Code
900 x 600	NUES-0906-XX
1200 x 900	NUES-1209-XX
1200 x 1200	NUES-1212-XX
1500 x 1200 (2 Units)	NUES-1512-XX
1800 x 1200 (2 Units)	NUES-1812-XX
2400 x 1200 (2 Units)	NUES-2412-XX



NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E



Flame Retardant to  
BS EN ISO 13501-Class B

Colours Available

Black	Purple	Green	Blue	Red	Grey	Lilac
Lime	Lt.Blue	Orange	Lt.Grey	Pink	Wheat	Yellow

Eco-Sound™ MDF Light Oak Wood Frame Noticeboard

A 100% recycled noticeboard. The light oak effect MDF wood frame is 100% recyclable, and with the 100% recycled Eco-Sound™ coloured noticeboard, this makes this the greenest noticeboard available. The MDF frame is 16mm in depth, and a range of sizes are available with a wall fixing kit.

- 100% recycled noticeboard
- Light Oak effect MDF frame
- Flame retardant to BS EN ISO 13510 Class B
- Soundproof to BS EN ISO 11654: 1997 Class E
- Fixing kit supplied

Size (mm)	Code
900 x 600	NWES-0906-XX
1200 x 900	NWES-1209-XX
1200 x 1200	NWES-1212-XX
1500 x 1200	NWES-1512-XX
1800 x 1200	NWES-1812-XX
2400 x 1200	NWES-2412-XX



NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E




Flame Retardant to  
BS EN ISO 13501-Class B

Colours Available

Black	Purple	Green	Blue	Red	Grey	Lilac
Lime	Lt.Blue	Orange	Lt.Grey	Pink	Wheat	Yellow

Unframed and MDF Light Oak Framed Board Sizes:





# Eco-Sound™ Classic Aluminium Frame Noticeboard

The classic frame Eco-Sound™ has an attractive ribbed effect and is 14mm in depth. A range of sizes are available and all boards are supplied with a wall fixing kit.

- Flame retardant to BS EN ISO 13501 Class B
- Soundproof to BS EN ISO 11654:1997 Class E
- Stylish, aluminium appearance
- 100% recycled PET
- Fixing kit supplied



Size (mm)	Code
900 x 600	NCES-0906-XX
1200 x 900	NCES-1209-XX
1200 x 1200	NCES-1212-XX
1500 x 1200	NCES-1512-XX
1800 x 1200	NCES-1812-XX
2400 x 1200	NCES-2412-XX



NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E



Flame Retardant to  
BS EN ISO 13501-Class B

## Colours Available

Black	Purple	Green	Blue	Red	Grey	Lilac
Lime	Lt.Blue	Orange	Lt.Grey	Pink	Wheat	Yellow

## Classic Aluminium Frame Board Sizes:



H 600 x W 900



H 900 x W 1200



H 1200 x W 1200



H 1200 x W 1500



H 1200 x W 1800



H 1200 x W 2400



## Eco-Sound™ Metropolitan™ Aluminium Frame Noticeboard

The Eco-Sound™ Metropolitan™ noticeboard is a stylishly designed heavy duty noticeboard which features rounded aluminium sections top and bottom, with bevelled sides. The Metropolitan™ aluminium frame is 24mm in depth and is available in a range of sizes with a wall fixing kit.

- Flame retardant to BS EN ISO 13501 Class B
- Soundproof to BS EN ISO 11654:1997 Class E
- Stylishly designed heavy duty noticeboard
- 100% recycled PET
- Fixing kit supplied



Size (mm)	Code
900 x 600 (Landscape)	NMES-0906-XX
600 x 900 (Portrait)	NMES-0609-XX
1200 x 900 (Landscape)	NMES-1209-XX
900 x 1200 (Portrait)	NMES-9012-XX
1200 x 1200	NMES-1212-XX
1500 x 1200	NMES-1512-XX
1800 x 1200	NMES-1812-XX
2400 x 1200	NMES-2412-XX




NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E




Flame Retardant to  
BS EN ISO 13501-Class B

### Colours Available



### Metropolitan™ Aluminium Frame Board Sizes:



H 900 x W 600

H 600 x W 900

H 1200 x W 900

H 900 x W 1200


H 1200 x W 1200

H 1200 x W 1500

H 1200 x W 1800

H 1200 x W 2400





## Classic Eco-Sound™ Aluminium Frame Tamperproof Noticeboard

The Eco-Sound™ tamperproof noticeboards are available with a choice of two aluminium frame finishes-Classic and Metropolitan. The classic aluminium frame has an attractive ribbed effect and has a depth of 28mm. They feature a 3mm PET shatterproof glazed panel and are fully lockable with two keys for security. A range of sizes are available and all boards are supplied with a wall fixing kit.

- Flame retardant to BS EN ISO 13501 Class B
- Soundproof to BS EN ISO 11654:1997 Class E
- Simple aluminium appearance
- Fully secure and lockable with 3mm PET shatterproof glazing
- 100% recycled PET
- Fixing kit supplied

Size (mm)	Code
900 x 600	TCES-0906-XX
1200 x 900	TCES-1209-XX
1200 x 1200	TCES-1212-XX
1500 x 1200 (2 Units)	TCES-1512-XX
1800 x 1200 (2 Units)	TCES-1812-XX
2400 x 1200 (2 Units)	TCES-2412-XX



NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E



Flame Retardant to  
BS EN ISO 13501-Class B

### Colours Available

Black	Purple	Green	Blue	Red	Grey	Lilac
Lime	Lt.Blue	Orange	Lt.Grey	Pink	Wheat	Yellow

### Classic Aluminium Frame Board Sizes:




H 600 x W 900




H 900 x W 1200




H 1200 x W 1200




H 1200 x W 1500  
(2 Units for Tamperproof)



H 1200 x W 1800  
(2 Units for Tamperproof)



H 1200 x W 2400  
(2 Units for Tamperproof)



Anti Door Drop Design



## BLAZEMASTER™

### Eco-Sound™ Metropolitan™ Frame Tamperproof and Acrylic Sliding Showcase

The Eco-Sound™ Metropolitan™ aluminium frame is a stylishly designed heavy duty frame which features rounded aluminium sections top and bottom with bevelled sides. The tamperproof features a 3mm PET shatterproof glazed door panel and is fully lockable with two key locks for security. The locks in the Metropolitan™ design are in the aluminium profile for added security and the overall unit is 48mm in depth.

The Eco-Sound™ Metropolitan™ acrylic sliding showcase features two 5mm thick PET acrylic sliding doors which lock in the middle with an Allen Key screw. The doors are lined on each side by an aluminium strip for added security and the overall unit is 58mm in depth.

Metropolitan™ Tamperproof

Size (mm)	Code
900 x 600 (Landscape)	TMES-0906-XX
600 x 900 (Portrait)	TMES-0609-XX
1200 x 900 (Landscape)	TMES-1209-XX
900 x 1200 (Portrait)	TMES-9012-XX
1200 x 1200	TMES-1212-XX
1500 x 1200 (2 Units)	TMES-1512-XX
1800 x 1200 (2 Units)	TMES-1812-XX
2400 x 1200 (2 Units)	TMES-2412-XX

Acrylic Sliding Showcase

Size (mm)	Code
1200 x 900 (Landscape)	TAES-1209-XX
1200 x 1200	TAES-1212-XX
1500 x 1200	TAES-1512-XX
1800 x 1200	TAES-1812-XX
2400 x 1200	TAES-2412-XX

- Flame retardant to BS EN ISO 13501 Class B
- Soundproof to BS EN ISO 11654:1997 Class E
- Stylishly designed heavy duty tamperproof
- Tamperproof is fully secure and lockable with 3mm PET shatterproof glazing
- Acrylic sliding showcase is lockable with 5mm PET shatterproof sliding doors
- 100% recycled PET
- Fixing kit supplied

Tamperproof and Acrylic Sliding Showcase Colours Available




NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E



Flame Retardant to  
BS EN ISO 13501-Class B

Metropolitan™ Aluminium Frame Tamperproof and Acrylic Sliding Showcase Sizes:





All colours shown are approximate only



NRC 0.8. Certified to  
BS EN SO11654: 1997 Class E



Flame Retardant to  
BS EN ISO 13501-Class B

**ECO-SOUND™**  
**ABLAZEMASTER™**  
For a quieter fire safe work environment.



 **BoardsDirect**

Boards Direct  
Unit 4 Poplars Court  
Lenton Lane  
Nottingham  
NG7 2RR

Tel: 0800 612 5432  
E: [sales@boardsdirect.co.uk](mailto:sales@boardsdirect.co.uk)  
W: [www.boardsdirect.co.uk](http://www.boardsdirect.co.uk)