

A thick red L-shaped border frames the central text. It consists of a horizontal bar at the top and a vertical bar on the left, meeting at a right angle.

THE FENCE BOOK



THE EVOLUTION OF FENCING...

—

From hand-split Post&Rail, to the stone walls of the Central Otago miners cottage - fencing has been enhancing our properties and protecting the things we love for generations.

A fence is more than a boundary; it is the intersection between the public and private, the work and play, the hustle and bustle of everyday life and the oasis of home.

At Boundaryline, we are proud to encapsulate the Kiwi dream. The four edges of your boundary hold everything that is dear.

We make fencing easy.
That's the Boundaryline promise.



WHO WE ARE

We're a customer-focused team, dedicated to making it easy for anyone in New Zealand to get the fence they need. We listen to what you tell us and work with you to reach the best solution for your project.

Innovation has been at the heart of what we do at Boundaryline Fencing Systems since the company was founded in Invercargill, with a range of timber Post&Rail fencing many years ago. We quickly found there were people throughout the New Zealand construction industry that liked our way of doing things, so our range of fencing systems grew quickly

to meet the requirements of the market. Today, with the widest range of fencing systems available on the New Zealand market and located in Auckland, Christchurch, and Invercargill – we have the products, service, and attitude to make fencing easy for you.



PEOPLE FIRST

Boundaryline is a part of the communities we work in. People and relationships are paramount to our success.



LOYALTY

Boundaryline is an established market leader in the fencing and gate industry, and recognises the driving forces that got us there. We are loyal to ourselves, our customers and our company.



INNOVATION & CHANGE

As innovators, Boundaryline is always looking for ways to develop, improve and lead industry change while staying true to our values.



FAIRNESS

Boundaryline stand by our work and exceptional service. Every deal must stand the test of time.

AUCKLAND DISTRIBUTION & SHOWROOM

6 Harbour Ridge Drive, Wiri
☎ (09) 250 1144



CHRISTCHURCH DISTRIBUTION & SHOWROOM

11 Anchorage Road, Hornby
☎ (03) 347 3191



INVERCARGILL DISTRIBUTION & SHOWROOM

60 Basstian Street, Waikiwi
☎ (03) 211 5145



CONTENTS

- 21 DURAPANEL™
- 29 ELITEWALL™
- 35 COLOURPANEL™
- 39 SMARTWALL ^{NEW}
- 43 COLOURSLAT™
- 47 GLASS FENCING
- 51 GREEN SCREEN
- 53 SENTRYPANEL™
- 59 KIWIPANEL™
- 61 KIWILINK™
- 63 POST&RAIL
- 67 LIFESTYLE TIMBER GATES
- 69 TIMBER BOLLARDS
- 71 CUSTOM ENTRANCE GATES

ICON KEY

-  **STOCK ITEM**
This is a stocked product line and will normally be available for following day dispatch.
-  **CUSTOM ITEM**
This is a non-stocked product item. Talk to us about lead time.
-  **CUSTOM COLOURS AVAILABLE**
Alternative colour finishes are available for this product at an added cost, talk to us about the options.
-  **WARRANTY**
Product is covered for warranty under the conditions of Boundaryline's warranty agreement, a copy of which is available on request.

1. © Copyright June 2017. All rights reserved. No part of this publication may be reproduced in any form without written permission of Terranota Ltd.
2. The purpose of this catalogue is to showcase the Boundaryline range of fencing and gate solutions available from Terranota Ltd. While Terranota Ltd has made every effort to portray accurate descriptions and information within this catalogue, Terranota Ltd cannot accept any responsibility for specifications or completed work based on information in this catalogue. In all construction projects, care must be taken to comply with all relevant statutory requirements and recommended codes of practice. The customer or user must establish the suitability of any product purchased for their own safe use.
3. Terranota Ltd reserves the right to update or change any specifications in this catalogue without prior notice. Products may be deleted, amended, substituted or changed at the sole discretion of Terranota Ltd.
4. Trademarks: Terranota, Boundaryline, DuraPanel, ColourPanel, SentryPanel, EliteWall, KiwiPanel, EuroMesh and KiwiLink are trademarks of Terranota Ltd, some of which are registered trademarks. Terranota Ltd will not hesitate to take legal action to protect the company's proprietary rights in this regard.
5. Any measurements shown are intended as a guide only. Please confirm any critical measurement with Terranota Ltd.

GARDEN & BOUNDARY

When selecting a fence for your home and garden, consider the spaces that the fence will border, and define the correct balance between a solid fence for privacy versus a less constricting open-style.

The Boundaryline team are here to assist you in enhancing, protecting, and adding value to your important investment - the family home.



POOLS

Selecting a fence to surround your pool that will provide you peace-of-mind while enhancing the poolside landscape is key. The Boundaryline team have the knowledge and experience to ensure you choose a great looking fence while meeting all your obligations under the Building code for pool safety.

Boundaryline's range of modular systems including DuraPanel, EliteWall and glass, can be combined to create your own unique oasis.



LIFESTYLE

The freedom of open spaces, and the peacefulness of distance between neighbours is what endears the kiwi lifestyle block to many.

Boundaryline Post&Rail has been the first choice of fencing for lifestyle property owners and farmers for many years. We complete the range with the classic timber lifestyle gate range to create a grand entranceway to your property.



COMMERCIAL & SECURITY

Choosing a better fence for your commercial property will increase the investment value and ensure sufficient intruder deterrence, while remaining inviting for clients and staff.

Boundaryline commercial and security fencing solutions combine strength with style, durability with low-maintenance, and provide long-term hassle-free property protection. Matching gates and automation solutions are a key component for commercial sites, and we can provide recommendation on site-specific requirements.



MEDIUM-DENSITY HOUSING

Medium-density housing may require a compromise on land and exterior spaces, however that doesn't need to mean a compromise on quality of lifestyle. Well-designed fencing can significantly enhance outdoor living areas while providing privacy and maximizing the available footprint.

Boundaryline's range of modular fencing systems, combined with our team's experience providing solutions for medium-density projects, ensures we can provide you the best-suited solution for your project.



EDUCATION

The Boundaryline range provides many fence and gate options to meet the demands of childcare, primary, and secondary school environments.


The Boundaryline team have extensive experience in supplying solutions for schools with completed projects throughout the country; from the far north to the deep south. We work closely with specifiers, project managers, and installation contractors to ensure each project is completed within the required time-frame and budget.





DURAPANEL™

SMART FENCING FOR HOMES, POOLS AND SCHOOLS



Boundaryline DuraPanel tubular metal fencing offers a wide range of options for pool fencing, landscape fencing, schools and childcare centres. With high-quality components and a sleek, cohesive design, DuraPanel complies with all New Zealand pool fencing regulations to keep children safe and to meet council requirements.

Our DuraPanel aluminium range is designed for increased strength and offers great-looking property enhancement and protection at a cost-effective price.

The DuraPanel range of custom-made fencing offers a wide variety of styles and colours to meet specific design requirements for any project.

All DuraPanel fencing is designed to be simple and quick to install, with modular components and welded panels.

Producer statements are available for pool fencing, balustrade, and retaining wall fencing compliance.

“

The fencing was the best we have seen. Very nice to use, brilliant finish and the boss is pleased. We're stoked and will always be recommending it to others.


Nelson swimming pool suppliers

DURAPANEL™

DESIGN OPTIONS




Panel height: 0.95 / 1.2m **Panel length:** 2.250m
Post size: 50x50mm **Vertical bars:** 19x19mm
Horizontal rails: 40x40mm
0.95m / 1.2m rakeable panel also available for sloping ground




Panel height: 1.2 / 1.5m **Panel length:** 2.250m
Post size: 50x50mm **Vertical bars:** 19x19mm
Horizontal rails: 40x40mm
Reversible, can be installed with rods facing down



Panel height: 1.2 / 1.5 / 1.8m **Panel length:** 2.250m
Post size: 50x50 / 65x65mm **Vertical bars:** 19x19mm
Horizontal rails: 40x40mm



Panel height: 1.2m **Panel length:** 2.250m
Post size: 50x25mm **Vertical bars:** 50x25mm
Horizontal rails: 25x25mm



Panel height: 1.2m **Panel length:** 2.330m
Post size: 65x65mm **Vertical bars:** 19x19mm
Horizontal rails: 50x25mm

WHAT'S GREAT ABOUT DURAPANEL™

STRONG

40x40mm rails



*Titan - 50x25mm

19x19mm SQUARE VERTICALS
For added strength and better appearance

ALUMINIUM CONSTRUCTION
This fence won't rust

POOL-SAFETY DESIGN
Keeps children safe and meets all regulations

STURDY POSTS

50x50mm or 65x65mm with matching cap




HIGH QUALITY

Powder-coated finish
Standard in black


QUICK AND SIMPLE INSTALLATION

Modular system with screw-on brackets




DURAPANEL™ TITAN SAFETY FENCING


FIXING SOLUTIONS




SIDE TO DOUBLE BOARD
Side fixed to double board retaining wall




SIDE TO SINGLE BOARD
Side fixed to single board retaining wall



SIDE TO TIMBER DECK
Side fixed to timber deck



TOP TO TIMBER DECK
Top Fixed to timber deck



SIDE TO CONCRETE
Side fixed to concrete




SAFETY FROM FALLING COMPLIANT

DuraPanel™ Titan is a fencing system design-engineered to meet F4 Safety from Falling compliance when installed to manufactures specifications. It is NZ's first aluminium safety fence that can be installed at 2.4m centres and while meeting the NZBC F4 specification requirements.



RETAINING WALL, BALUSTRADE OR CYCLEWAY

WHAT'S GREAT ABOUT TITAN SAFETY FENCING




Visit boundaryline.co.nz/resources to download Producer Statements, Technical Support & CAD drawing files.




DURAPANEL™

GATES

DELTA



Height: 0.95 / 1.2m
Length: 0.95m




Height: 0.95 / 1.2m
Length: 1000-2300mm

VECTA



Height: 1.2 / 1.5m
Length: 0.95m




Height: 1.2 / 1.5m
Length: 1000-2300mm

POLO



Height: 1.2 / 1.5 / 1.8m
Length: 0.95m



Height: 1.2 / 1.5 / 1.8m
Length: 1000-2300mm

AXIS



Height: 1.2m
Length: 0.95m



Height: 1.2m
Length: 1000-2300mm

DURAPANEL™

CUSTOM RANGE

LOOP-TOP



LOOP & SPEAR



TRADITIONAL SPEAR




CLASSIC SPEAR



POLO SPEAR



HI-LO SPEAR



More custom styles available:

Contact us to find a custom solution to suit your project or to match existing fences.





ELITEWALL™

NEW ZEALAND'S
PREMIUM
PANEL FENCE



The EliteWall system is the preferred choice for property owners who require a cost-effective, solid panel fence that provides style, function and privacy.

EliteWall is New Zealand's most advanced line of modular panel fencing. Made with lightweight components, yet structurally strong and simple to install.

Superior acoustic performance makes EliteWall a popular option for rest homes and motels, or any property beside a busy road.

EliteWall is the ideal alternative to concrete or block walls at a fraction of the cost, and is suitable for fencing in earthquake zones.

A complete range of infill options gives you the flexibility to choose any combination of panels between the posts: solid panels, pool fencing panels, glass or aluminum slats. The many different design possibilities are extensive.

“


I am very pleased with the look and the feel the new fencing is starting to create already. Thank you for all your efforts.

Facility manager, rebuild project,
Christchurch

ELITEWALL™
DESIGN OPTIONS




CLASSIC WALL



Wall height: 0.9m – 2.1m
Panel thickness: 50mm
Posts: 180x120mm
Post centres: 2.530m / 2.830m / 3.130m




SIGNATURE WALL



Wall height: 0.9m – 3.0m
Panel thickness: 70mm
Posts: 280x140mm
Post centres: 2.630m / 2.930m / 3.230m



ESTATE WALL




Wall height: 0.9m – 3.0m
Panel thickness: 70mm
Posts: 320x210mm
Post centres: 2.670m / 2.970m / 3.270m

WHAT'S GREAT ABOUT ELITEWALL™



SUPERIOR ACOUSTIC PROPERTIES
Blocks up to 28 decibels of noise, great for properties beside a busy road

NO MASONRY TO CRACK
Allows for ground movement
Works well in an earthquake zone




COST-EFFECTIVE PRIVACY
Solid fencing at a much lower cost than concrete

QUICK AND SIMPLE INSTALLATION
All modular components and minimal site disturbance

PAINTED TO MATCH YOUR PROPERTY
Easy to texture-coat and paint



ELITEWALL™ FINISHING OPTIONS



CONTEMPORARY

Contemporary panel caps and post caps



SUBURBAN

Traditional panel caps and contemporary post caps



TRADITIONAL

Traditional panel caps and traditional post caps



NEGATIVE DETAIL JOINT

Enhance the look by utilising the panel join with horizontal detail



CLOSED PANEL JOINT

For a refined joint detail



ALUMINIUM SLATS

Aluminium slats provide an open-feel while maintaining a level of privacy for the property owner. Aluminium slats are supplied in a powder-coated finish and can be colour-matched to any standard New Zealand roof or window colour.



LOUVRES

Aluminium louvre in-fills provide a full privacy and allow air-flow through the fence. Aluminium louvres are supplied with a powder-coated finish and can be colour-matched to any standard New Zealand roof or window colour.



DURAPANEL™ INFILL

EliteWall columns are available in a range of sizes and heights and can be supplied with a spray-texture finish or painted in colour of your choice for quick and easy installation. See DuraPanel on page 21.



LINEAR PANEL

The linear infill option provides a cost-effective design element for EliteWall fences to complement weatherboard-look houses. Linear panel is painted to match the fence or to complement the property.



GLASS PANELS

Glass is easily incorporated into EliteWall fences for visibility. Glass panels can be full height or part-panels, and various glass grades are available to meet wind loading and safety requirements.



LETTERBOXES

EliteWall letterbox is available as stand-alone letterbox columns or built into an EliteWall post or panel. A range of styles and finishes are available including front and rear-opening options.



COLOURPANEL™

SETTING THE
STANDARD IN
RESIDENTIAL
FENCING



For great-looking, low-maintenance privacy fencing, Boundaryline ColourPanel sets the standard throughout New Zealand. No more twisted or rotten timber fences!

ColourPanel is truly a same-both-sides fence, which makes it ideal for residential properties because both neighbours get the 'good' side of the fence.

ColourPanel is made from pre-finished steel, as commonly used for roofing, and is durable and stable. It

will not warp and twist like a timber fence, even when a dark colour is used in any climate.

Installation is very quick and simple with modular, colour-matched components. Even DIY customers are impressed with how easy it is to get the job done!

All ColourPanel needs to maintain the same look as the day it was installed is an occasional wash-down. No painting, no staining, no problems!

“

I'm definitely impressed with it, especially the strength of it... it looks really good.

Fencing contractor,
Marlborough

COLOURPANEL™

DESIGN OPTIONS



CLASSIC




Fence height: 1.2m / 1.5m / 1.8m (in stock)
0.9m / 2.4m (available to order)
2.1m in stock in Black, Thunder, Slate Grey

Panel profile: Reflect panel

Post centres: 2.380m



SLAT-TOP



Fence height: 1.5m / 1.8m / 2.1m (in stock)
Available in Black, Thunder, Slate Grey
1.2m / 2.4m (available to order)

Panel profile: Reflect panel with 300mm slat panel

Post centres: 2.380m

More colours available to order



LATTICE-TOP



Fence height: 1.5m / 1.8m / 2.1m (in stock)
Available in Black, Thunder, Slate Grey
1.2m / 2.4m (available to order)

Panel profile: Reflect panel with 300mm lattice panel

Post centres: 2.380m

More colours available to order

WHAT'S GREAT ABOUT COLOURPANEL™

ULTRA-LOW MAINTENANCE

The fence that never needs painting or staining

SAME-BOTH-SIDES

Both neighbours see the 'good side' of the fence

PRE-FINISHED COMPONENTS

All parts are colour-matched

LONG-TERM DURABILITY

4-step anti-corrosion process

QUICK AND SIMPLE INSTALLATION

Cost-effective modular system



COMPLETE PRIVACY

No gaps in the panels

NO TWISTING, NO WARPING

ColourPanel will always look new



COLOUR SELECTION



Black Thunder Slate Grey Shingle Mountain Blue Rivergum Merino Frost

More custom colours available to order

Colours are shown as accurately as printing allows





SMARTWALL

BLENDING
SEAMLESSLY
WITH NATURAL
SURROUNDINGS



Create beautiful natural boundaries to compliment your new landscape with Boundaryline's SMART alternative for timber fencing.

SmartWall features steel posts and rails with CLT laminated palings to prevent twisting and warping over time, ensuring you have a premium looking boundary solution for years to come.

With its cross-laminated timber palings and same look both sides, SmartWall creates a tidy, elegant

finish with ultimate stability for every project.

The superior acoustic performance of SmartWall makes it the ideal choice for residential and commercial projects including childcare centres and rest-homes where noise-minimisation is a requirement.

The modular construction makes SmartWall one of the easiest and fastest fences to install, saving you time and money.

“

I'm definitely supplying it... It is a cost effective product with a great look, and is also very durable which suits our intense climate.

Fencing contractor,
Central Otago

SMARTWALL

DESIGN OPTIONS



VERTICAL



Fence height: 1.2m / 1.5m / 1.8m
Paling profile: CLT laminated palings
Post centres: 2.250m




HORIZONTAL



Fence height: 1.2m / 1.5m / 1.8m
Paling profile: CLT laminated palings
Post centres: 1.830m

MORE ABOUT CLT LAMINATED PALINGS



CLT laminated palings by Laminata are a cross-laminated timber plank developed using high-performance European glue lamination technology.

The gluing of three layers of timber with the middle layer at right angles to the outer layers provides maximum stability and strength.

MiniCLT planks are treated using the environmentally preferable MicroPro timber treatment which is GreenGuard certified for play areas used by children of all ages.

WHAT'S GREAT ABOUT SMARTWALL

SAME-BOTH-SIDES

Both neighbours see the 'good side' of the fence


ULTIMATE STABILITY RADIATA PINE

CLT laminated palings for ultimate stability



SUPERIOR ACOUSTIC PROPERTIES

Ideal for reduction of noise beside busy roads, and child-care centres.



QUICK AND SIMPLE INSTALLATION

Modular system for quick install

COMPLETE PRIVACY

CLT laminated palings are tongue & groove profile to prevent any gaps



STRUCTURAL INTEGRITY

Pre-finished steel post & rails to prevent twisting and warping over time

COLOUR SELECTION for Posts & Rails



Black Thunder Slate Grey

Custom colours available for Posts & Rails
Colours are shown as accurately as printing allows

DESIGN OPTIONS



SmartWall Horizontal
1830mm Post Centre



SmartWall Vertical
2250mm Post Centre





COLOURSLAT™

SMART,
INTEGRATED
PRIVACY
SCREENING



Boundaryline ColourSlat is the ideal choice for screening outdoor living areas and courtyards, as it allows natural light penetration while providing privacy.

For best appearance and long-term durability, choose the standard steel ColourSlat. This is a complete system using pre-finished steel components and will not fade, warp, or twist.

If you are looking for an alternative to an all-steel fence, ColourSlat with timber panels will meet your requirements. The timber slat infill panels are manufactured from high-grade radiata pine and can be stained to the colour of your choice.

ColourSlat is designed to seamlessly integrate with ColourPanel fencing, or it can be installed as a stand-alone fencing system.

“

We were looking for an attractive, low-maintenance slat fence to surround a new outdoor patio area and ColourSlat has met the need perfectly. We are very pleased.


Commercial building owner, Invercargill

COLOURSLAT™

DESIGN OPTIONS




STEEL



Fence height: 1.2 / 1.5 / 1.8m
Slat size: 55x7.5mm
Slat spacing: 25mm
Post centres: 2.38m



SIGNATURE TIMBER



Fence height: 1.2 / 1.5 / 1.8m
Slat size: 70x12mm
Slat spacing: 11mm
Post centres: 2.38m
Timber infill: Radiata pine H3

MORE THAN JUST A FENCE



ColourSlat Fencing is a great option for privacy screens around decks, patios, wheelie bins and any areas that you want privacy without a block out fence.

ColourSlat fencing can be integrated with ColourPanel and SmartWall.

WHAT'S GREAT ABOUT COLOURSLAT™

IDEAL FOR SCREENING

Provides privacy without being closed in


PRE-FINISHED COMPONENTS

All parts are colour-matched

LONG-TERM DURABILITY



QUICK AND SIMPLE INSTALLATION



MODULAR COMPONENTS

Can be integrated with ColourPanel

COLOUR SELECTION



Slate Grey Black Thunder

More custom colours available to order
Colours are shown as accurately as printing allows





GLASS FENCING

POOL SAFETY
WITH A
CLEAR VIEW



Boundaryline's range of glass fencing is the ideal pool fence. Our glass fencing complies with all pool fencing safety standards, and allows a clear view to and from the pool area.

Glass fencing is an easy and cost-effective solution. Matching gates are available with pool safety hardware included and all technical information

to comply with pool fencing safety standards is available on request.

Maintenance is simple, which means you have a great-looking solution all year round.

The glass fencing panels can also be incorporated into the EliteWall system as an added feature.

“

Yesterday we saw for the first time our fabulous swimming pool fence made by Boundaryline and it is brilliant.

Home owner, Canterbury

GLASS FENCING

DESIGN OPTIONS



MINI POST OVAL STAINLESS STEEL



Base size: 61x127mm

Fixing centres: 100mm



MINI POST SQUARE ANODISED ALUMINIUM



Base size: 64x138mm

Fixing centres: 100mm



MINI POST SQUARE STAINLESS STEEL



Base size: 95x95mm

Fixing centres: 75mm

WHAT'S GREAT ABOUT GLASS FENCING

POOL SAFETY

Meets all pool safety regulations

AS/NZS 2208

NZS 8500

Producer statements are available on request

SPECIFICATIONS

12mm toughened safety glass to ASNZS2208

Panel height:
1200mm (approx 1250mm high when installed)

Panel lengths:
600mm to 1600mm

Standard gate:
1200mm high x 900mm wide (10mm safety glass)
Custom gates sizes available

QUICK AND SIMPLE INSTALLATION

All modular components

LOW MAINTENANCE

Easy to clean, looks great all year round

CLEAR VIEW

Unobstructed view to and from pool area

ENDUROSIELD OPTION*

Protection to help keeping glass looking cleaner for longer

* ENDUROSIELD GLASS OPTION

Boundaryline offers EnduroShield glass protection to keep your new glass fencing looking cleaner for longer in between cleans! Enduroshield's ultra-thin transparent treatment will repel both water and oil based stains and proves to be the best way to clean glass and cut cleaning time. It is beneficial for helping to protect glass from staining and etching overtime. Enduroshield glass is available for this product at an added cost, talk to us about the option.



Custom colours available for Spigots.



GREEN SCREEN

GREEN FENCING
MADE EASY

Introducing a unique mesh fence panel designed to support climbers and plants. Green Screen provides an initial security and barrier as a modular fence system, while the unique integrated mesh design encourages growth of climbers and provides maximum support for the most delicate plants.

Over time the fence will form a dense and uniform green wall that blends in with nature and enhances the landscape. Green Screen is a practical and great-looking landscape feature for any property.

Green Screen is a component based system and easy to install between the standard slim-line posts, or any column design of your choice.



WHAT'S GREAT ABOUT GREEN SCREEN

EXCELLENT VERSATILITY

The modular panel can be used as a standard fence line, or mounted between columns of your choice

SPECIFICATIONS


Panel height: 1220mm

Panel length: 2233mm

Panel thickness: 50mm

Aperture: 50x50mm

Finish: Powder-coated



QUICK AND SIMPLE INSTALLATION

Easy clip installation

HIGH QUALITY

Powder-coated finish
Standard in black

SUPERIOR CORROSION PROTECTION

Galvanised steel and powder-coated finish for long-lasting good looks and safety





SENTRYPANEL™

THE GREAT-
LOOKING HIGH-
SECURITY FENCE

Boundaryline SentryPanel is designed to provide superior protection of your investment and look great at the same time.

The spear-top option has sharply spiked bars to deter intruders and rod-top provides the same security without looking too unfriendly. Both styles have a long anti-climb gap making it a virtually unscalable barrier.

SentryPanel is constructed from heavy-wall aluminium componentry, welded for strength, and powder-coated for long-term durability. The modular design and comparatively light panel weight makes installation quick and easy.

SentryPanel is a smart, cost-effective security fencing solution for all types of commercial property.


“

We use the SentryPanel security fencing system and now call it our number one go-to product. It is strong, reliable, easy to work with and install economically.

Fencing retailer, Tauranga


SENTRY**PANEL™**
DESIGN OPTIONS

SPEAR-TOP




Panel height: 1.8m / 2.1m
Panel length: 2.250m
Horizontal rails: 40x40mm
Vertical bars: 25x25mm
Post size: 65x65mm
Picket spacing: 110mm

ROD-TOP




Panel height: 1.8m
Panel length: 2.250m
Horizontal rails: 40x40mm
Vertical bars: 25x25mm
Post size: 65x65mm
Picket spacing: 110mm

FLAT-TOP



Panel height: 1.5m / 1.8m
Panel length: 2.250m
Horizontal rails: 40x40mm
Vertical bars: 25x25mm
Post size: 65x65mm
Picket spacing: 95mm

SCHOOL PANEL



Panel height: 1.5m / 1.8m
Panel length: 2.250m
Horizontal rails: 40x40mm
Vertical bars: 25x25mm
Post size: 65x65mm
Picket spacing: 95mm

WHAT'S GREAT ABOUT SENTRY**PANEL™**

SPIKED-TOP

Ideal when extra security is needed



HARD TO CLIMB


Long anti-climb gaps between rails

25X25MM
VERTICAL BARS

Strong vertical bars can't be easily bent

STRONG 40X40MM RAILS

Includes double top rails for extra strength and better appearance



STURDY
ALUMINIUM POSTS

65x65mm with matching cap

QUICK AND SIMPLE
INSTALLATION

Modular system with screw-on brackets



SUPERIOR CORROSION
RESISTANCE

Aluminium construction and powder-coated finish – this fence won't rust





SENTRYTMPANEL GATES

RELIABLE INDUSTRIAL SECURITY GATES

Many commercial and industrial properties require a high level of security to limit unauthorised access.

Boundaryline works with construction companies, property owners, and designers all over New Zealand to deliver reliable security gates solutions for all kinds of applications.

SentryPanel gates are manufactured using standard in-stock componentry to achieve a quick and cost-effective solution that will perform to perfection for the long-term.

SECURITY GATE SOLUTIONS



SWINGING GATES

Swinging gates are the most cost-effective option when there is enough opening space, or when the entranceway is not level. They can be automated if required, but are usually used when the gates are not opened frequently.



TRACKED SLIDING GATES

Where traffic is relatively light, but a sliding gate is required, a tracked gate provides a cost-effective solution. The ground-track is very low profile and this type can be used with or without an automated opener.



CANTILEVER SLIDING GATES

Boundaryline has had extensive experience in designing and building cantilevered sliding gates. With no ground-track required, a cantilevered gate is ideal for industrial situations that have heavy traffic or where the entranceway is not level.

SECURITY GATES

OPTIONS




GATE AUTOMATION

Automated drivers available for swinging or sliding gates



ACCESS CONTROL

A range of access control systems are available to suit every application



CUSTOM DESIGNS

We can supply custom-made gates to meet your design requirements



KIWI**PANEL™**

FOLDED-TOP SECURITY FENCING

KiwiPanel is an ideal fencing system for cost-effective security in places such as pools, schools, and commercial properties. Manufactured to standard designs and specifications, these panels have superior anti-climb properties with a long anti-scale gap between the top and bottom horizontal wires.

Hot-dip galvanised for longevity, KiwiPanel is available in a standard galvanised finish or can be powder-coated to the colour of your choice.



WHAT'S GREAT ABOUT KIWI**PANEL™**

STRONG & DURABLE COMPONENTS

Made from tough welded steel wire, hot-dip galvanised to beat rust


LONG ANTI-CLIMB GAP

For pool fencing and school boundary fences

SPECIFICATIONS:


Panel height: 1.25m / 1.300m
1.500m / 1.600m
1.800m / 2.100m

Panel length: 2.400m



FOLDED TOP AND BOTTOM

Folded profile makes this a strong, rigid design



QUICK AND SIMPLE INSTALLATION

Easy clip installation





KIWILINK™

TRADITIONAL
NEW ZEALAND
CHAIN-LINK FENCING

KiwiLink fencing uses the time-proven, cost-effective chain-link system that has protected New Zealand commercial properties for generations. We make it simple. We provide the complete package of components assembled specifically for your project, using premium quality materials and fittings.


The galvanised pipe sizes and chain-link mesh options can be specified for your application, and barbed wire can be added to deter intruders.



WHAT'S GREAT ABOUT KIWILINK™

CHAIN-LINK MESH

The proven security fence



FLEXIBLE WIRE MESH

Available in various specifications

EASY TO INSTALL ON ANY GROUND CONTOUR

SPECIFICATIONS

Line post / brace section size: 40mmNB

End / corner / tension post size: 50mmNB or custom size

Mesh size: 50x50x2.5mm, 50x50x3.15mm or custom size

Mesh height: 1.800m, 2.000m, or custom size

Finish: Galvanised or black-coated

BARBED-WIRE CLIPS

Easy installation of barbed wires
- added to deter intruders

QUICK AND SIMPLE INSTALLATION

Bolt together fittings

SUPERIOR CORROSION PROTECTION

Top-quality galvanised mesh, posts, and fittings





POST&RAIL

THE VERSATILE FENCE

From lifestyle blocks to large farms, entranceways to subdivision projects, Boundaryline Post&Rail is used all over New Zealand and in all kinds of ways.

Property owners find Post&Rail to be a cost-effective and easy way to make a massive difference to the appearance of their property.

The unique Boundaryline straight-through mortise means that the rails interlock in the post without the use of any hardware. This makes a strong

fence that is simple to install, even on sloping ground and with curved lines. We use specially selected premium-grade timber to ensure our Post&Rail looks great for years to come.

With a wide range of options and the ability to supply custom-made systems, we can put together a Post&Rail solution exactly to your requirements and to enhance your landscape.

“


We are delighted with our Boundaryline fence. It was a joy to build and we continue to enjoy its good looks. Its contour and length certainly enhances our property.

Retired farmer - Hawarden,
Canterbury

POST&RAIL


DESIGN OPTIONS

2-RAIL



	CLASSIC 112	SIGNATURE 115	SIGNATURE 200
Post size:	125x125mm	150x150mm	200x200mm
Height out of ground:	0.95m - 1.05m	0.95 - 1.05m	0.95 - 1.05m
Rail length:	2.1m or 2.4m	2.1m or 2.4m	2.1m or 2.4m

3-RAIL



	CLASSIC 112	SIGNATURE 115	SIGNATURE 200
Post size:	125x125mm	150x150mm	200x200mm
Height out of ground:	1.1m - 1.2m	1.1m - 1.2m	1.1m - 1.2m
Rail length:	2.1m or 2.4m	2.1m or 2.4m	2.1m or 2.4m

CUSTOM SOLUTIONS



Talk to us about custom-designed Post&Rail fencing systems.

Whether it's oversized posts and rails, custom-shaped post tops, or a combination of great ideas, we can make your design a reality.


WHAT'S GREAT ABOUT POST&RAIL

SELECTED PREMIUM GRADE TIMBER

Superior landscaping timber. Selected to avoid twisting and splitting

BEVELLED RAILS

To match the post-tops



PINE AND MACROCARPA

Treated pine for guaranteed durability or chemical-free, naturally durable macrocarpa

FINISH

Rough sawn finish for a natural look

CHAMFERED POST-TOPS

For a neat and tidy look

STRAIGHT-THROUGH MORTISE

Strong and durable, easy to install, and no bulky brackets



QUICK AND SIMPLE TO INSTALL

With the straight-through mortise, just set up the posts and slide in the rails





LIFESTYLE **TIMBER GATES**


NOT YOUR AVERAGE
FARM GATE

Boundaryline classic timber gates stand out from the crowd. Made in a traditional style to match our Post&Rail fencing, these are not your average farm gates.

With a focus on manufacturing quality, the classic timber gates have thicker rails for added strength, dressed timber for a sleek finish, and supplied with black powdercoated hardware and hinges to complete the look.



WHAT'S GREAT ABOUT LIFESTYLE **TIMBER GATES**



SHEFFIELD



Height: 0.9 / 1.0 / 1.2m
Length: 1.0 / 1.8 / 2.1 / 2.4 / 2.7 / 3.0m or custom length - made to order
Rail size: 90x32mm
Timber: Treated pine or macrocarpa

MAYFIELD



Height: 0.9/1.0/1.2m
Length: 1.0 / 1.8 / 2.1 / 2.4 / 2.7 / 3.0m or custom length - made to order
Rail size: 90x32mm
Timber: Treated pine or macrocarpa

OAKFIELD



Height: 0.9 / 1.0m
Length: 1.0 / 1.8 / 2.1 / 2.4 / 2.7 / 3.0m or custom length - made to order
Rail size: 90x32mm
Timber: Treated pine or macrocarpa





TIMBER BOLLARDS

FOR WHERE
VEHICLES CAN'T GO,
BUT PEDESTRIANS CAN

Boundaryline bollards are the ideal cost-effective way to block vehicle access to parks, reserves and walkways, while allowing easy entry for pedestrians and cyclists.


Boundaryline bollards are made to our standard designs or to your own specification.

We use only premium landscape grade timbers: radiata pine and macrocarpa, or if required, a selection of sustainable hardwoods.


We manufacture custom-designed bollards including metalwork features and signage if required. Speak to us to make your ideas become reality.

TIMBER **BOLLARD** SOLUTIONS


SQUARE BOLLARDS



SQUARE TOP




**SQUARE TOP
WITH COLLAR**




ANGLE TOP

Post size: 125x125 / 150x150 / 200x200mm
Length: 0.9 / 1.2 / 1.5 / 1.8m
Timber: Treated radiata pine or macrocarpa


ROUND BOLLARDS



DOME TOP



**DOME TOP
WITH COLLAR**



**CHAMFERED
TOP**

Post size: 150mm / 200mm diameter
Length: 0.9 / 1.2 / 1.5 / 1.8m
Timber: Treated radiata pine





CUSTOM **ENTRANCE GATES**

ENHANCE AND
SECURE YOUR
PROPERTY

Gates and entranceways are an important component of landscape design and are essential to secure and enhance your property.

The Boundaryline custom gates range is manufactured by our sister company Heritage Gates who for over 20 years has been a trusted manufacturer of custom fence and gate solutions.

Manufactured in both premium grade timbers or aluminum, our custom gates combine innovation with tried and proven manufacturing methods to deliver exceptional quality and functionality for many years of reliable service.

“

I love the fence and gates! The team were great to deal with and the result is impressive.


Christchurch lifestyle
block owner



ALUMINIUM GATES

PREMIUM ALUMINIUM GATES

HAMPTON (TG&V)



Kingston (vertical TG&V) also available

HOUSTON (SLAT)



HUNTINGTON (LOUVRE)



MONTANA



MINNESOTA




CHICAGO




TRENTON



NASHVILLE



ROCKLAND




More custom styles available:
Contact us to find a custom solution to suit your project or to match existing fences.



TIMBER GATES

PREMIUM TIMBER GATES

ALBURY



SUNBURY




BENTLEY



COURTNEY



WESTBURY



KINGSBURY




DENBEIGH



ENDERBY




NEWBURY



More custom styles available:

Contact us to find a custom solution to suit your project or to match existing fences.





0800 003 006 / boundaryline.co.nz