



brillante  
F-78  
Sportek Shiny Tricot



# brillante F-78

80% Nylon-20%Spandex

Sportek Shiny Tricot

Weight: 200 GSM

Width: 58-60"

Average Roll Size 70 YDS+-

MOQ 1 roll per color


Sample yardage available at [www.SpandexByYard.com](http://www.SpandexByYard.com)



Sportek high performance Nylon Spandex shiny tricot with superior four way stretch, soft hand and friendly to skin.

A Great choice for high end swimwear, Rash guards, leggings, bras, Yoga wear, Arm sleeves, intimate apparel, Cycling apparel, medical garments, chair covers & Event design and many other applications

All colors on this color card are part of Sportek International extensive stock program





WHITE



OS-GREY



LIGHT BLUE



KELLY



IVORY



SILVER



OS-COLUMBIA



FOREST GREEN



NUDE



K-DARK SILVER



ATLANTIC BLUE



OS-FOREST GREEN



OS-VEGAS GOLD



NEW CHARCOAL



ROYAL BLUE



BROWN



GOLD



BURNT OLIVE



OS-ROYAL



COBALT



CHINO



METALLIC ARMY



TURQUISE



NAVY



K.BEIGE



BLACK



TEAL



OS-NAVY



YELLOW NEON



OS GOLD



YELLOW E-18



LIGHT PINK



CHARTREUSSE



BRT. ORANGE



COPPER LIGHT



FRENCH ROSE



NEON GREEN



OS-ORANGE



DARK COPPER



LT. CORAL



NEON PINK



POPPY



GRAPE



LILAC



NEON CORAL



OS-RED



S-PLUM CRAZY



DES -FUSCHIA



NEON RED



RED



PURPLE



MAGENTA



NEON ORANGE



BURGUNDY



OS-PURPLE



FUTURE COLORS



SOFT YELLOW



AT-LINEN



AT-MAROON



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



AT-MUSTARD




AT-LAVENDER



AT-PLUM



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



AT-KIWI



AT-LT PURPLE



FUTURE COLORS




FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS



AT-OLIVE



AT-ROYAL



FUTURE COLORS



FUTURE COLORS



FUTURE COLORS




FUTURE COLORS



FUTURE COLORS





TEXTILE CARE LABELLING		
DESCRIPTION OF PROCESS		
 WASHING: MACHINE WASH AT 40°C	 DRYING: AVOID SPIN DRY. SQUEEZE OFF ACCESS WATER OR DELICATE SPIN. HANG TO DRY.	 DRY CLEANING: ARTICLES WHICH ARE SUITABLE FOR DRY CLEANING IN PERCHLOROETHYLENE.
 BLEACHING: DO NOT USE CHLORINE-BASED BLEACH.	 IRONING: MAXIMUM SOLE-PLATE TEMPERATURE OF 110°C	







®



**Sportek**  
International Inc.

2425 S. Eastern Avenue, City of Commerce, CA USA 90040 / (844) SPORTEK (844-776-7835) / Fax: (213)-239-6712  
[www.sportek.com](http://www.sportek.com) / [info@sportek.com](mailto:info@sportek.com)

 &  are All registered trademarks of Sportek International Inc.