

```

1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
2
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5 <title>iBoot-G2S | Web Power Switch | Remote Reboot</title>
6 <meta name="description" content="iBoot-G2S Web Controlled Power Swtich. Avoid site visits just to reboot a router or server. iBoot Ethernet power
7 r switch allows you to remotely control power.">
8 <meta name="keyword" content="iboot remote power control, web controlled power switch, auto reboot power control, autoping power switch">
9 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
10 <meta http-equiv="X-UA-Compatible" content="IE=9" />
11 <meta name="viewport" content="width=device-width, initial-scale=1.0">
12 <script>
13 (function (i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){
14 (i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),
15 m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)
16 })(window,document,'script','/www.google-analytics.com/analytics.js','ga');
17
18 ga('create', 'UA-1368662-1', 'auto');
19 ga('send', 'pageview');
20
21 </script>
22
23 <!-- Google Search JS
24 <script type="text/javascript" src="http://www.google.com/coop/cse/brand?form=cse-search-box&lang=en&sitesearch=true"></script>
25 -->
26 <!-- fav and touch icons -->
27 <link rel="shortcut icon" href="images/site/favicon.ico">
28 <link href="quickmenu.css" rel="stylesheet">
29 </link>
30 <link href="screen.css" rel="stylesheet">
31 </link>
32 <link href="style.css" rel="stylesheet">
33 </link>
34 <link href="fancybox214.css" rel="stylesheet">
35 </link>
36 <link href="custom.css" rel="stylesheet">
37 </link>
38 <style>
39 hr {
40 margin-top: 0;
41 margin-right: 20px;
42 margin-bottom: 20;
43 margin-left: 0px;
44 }
45 ul {
46 list-style: inside;
47 display: table
48 }
49 li {
50 text-indent: -1em;
51 padding-bottom: 3px;
52 }
53 .topFeatures li {
54 Verdana, Geneva, sans-serif;
55 font-size: 14px;
56 line-height: 20px;
57 width: 600px;
58 list-style-image: url(images/site/iboot.icon_16x16.png);
59 }
60 </style>
61 </head>
62 <body>
63 <div class="wrapper">
64 <header>
65 <div class="cart"><script language="javascript" type="text/javascript"
66 src="https://www.cartserver.com/client-side/showcart.php?c=s-3238&d=basic"></script>
67 </div>
68 <div class="cart"><a href="https://www.cartserver.com/sc/cart.cgi?item=s-3238&view.x=1"></a></div>
70 <div class="social">
71 <div class="twitter"><a href="https://twitter.com/dataprobe" target="_blank"> </a> </div>
72 <div class="facebook"><a href="http://www.facebook.com/pages/Dataprobe/143233679045632" target="_blank"> </a> </div>
74 <div class="linkedin"><a href="http://www.linkedin.com/company/dataprobe" target="_blank"> </a> </div>

```

```
72 </div>
73 <div class="logo"> <a href="index.html">  </a> </div>
74 <div style="position: absolute; top: 7px; left: 275px; width: 375px; ">
75 <h3>Making Every Network More Reliable</h3>
76 </div>
77 </header>
78 <!-- -->
79
80 <!-- NAVIGATION -->
81 <style>
82 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-input input {
83 width: 130px;
84 }
85 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-search-button {
86 vertical-align: top;
87 }
88 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-search-button input.gsc-search-button {
89 margin-top: 2px;
90 }
91 .nav-wrapper .main-nav span #qm0.qmmc {
92 z-index: 100000 !important;
93 }
94 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-input div#gsc-iw-id1.gsc-input-box table#gsc_id0.gstl_0 tbody tr td#gsc_tti0.gsib_a input#gsc-
i-id1.gsc-input {
95 background: none !important;
96 }
97
98 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-search-button input.gsc-search-button {
99 margin: 0px !important;
100 }
101
102 form.gsc-search-box table.gsc-search-box tbody tr td.gsc-input div#gsc-iw-id1.gsc-input-box table#gsc_id0.gstl_0 tbody tr td#gsc_tti0.gsib_a input#gsc-
i-id1.gsc-input {
103 color: #fff;
104 }
105 .cse .gsc-search-button input.gsc-search-button-v2, input.gsc-search-button-v2 {
106 padding: 4px 5px !important;
107 }
108 </style>
109 <nav>
110 <div class="nav-wrapper">
111 <div class="main-nav"> <span id="ctl00_cntMain_DisplayCategories2">
112 <ul id="qm0" class="qmmc">
113 <li><a href="products.html" class="qmparent">Products</a>
114 <ul>
115 <li><a href="power.html">Remote Reboot</a></li>
116 <li><a href="switching.html">Redundancy Switching</a></li>
117 <li><a href="ipio.html">Monitoring &amp; Control</a></li>
118 </ul>
119 </li>
120 <li><a href="partners.html">Partners</a></li>
121 <li><a href="support.html">Support</a>
122 <ul>
123 <li><a href="support_iboot-g2.html">iBoot-G2</a></li>
124 <li><a href="support_iboot-g2-plus.html">iBoot-G2+</a></li>
125 <li><a href="support_iboot.html">iBoot-Hub</a></li>
126 <li><a href="support_ibootbar.html">iBootBar</a></li>
127 <li><a href="support_ipio.html">iPIO Products</a></li>
128 <li><a href="support_rss-series.html">RSS Series</a></li>
129 <li><a href="support_t-aps-series.html">T-APS</a></li>
130 <li><a href="support.html">All Other Products</a></li>
131 </ul>
132 </li>
133 <li><a href="press-releases.html" class="qmparent">News</a>
134 <ul>
135 <li><a href="press-releases.html">Press Releases</a></li>
136 <li><a href="http://blog.dataprobe.com">Blog</a></li>
137 </ul>
138 </li>
139 <li><a href="about.html" class="qmparent">About</a>
140 <ul>
141 <li><a href="about.html">About Dataprobe</a></li>
142 <li><a href="management.html">Management</a></li>
143 <li><a href="clients.html">Clients</a></li>
144 <li><a href="history.html">History</a></li>
```

```
145     </ul>
146   </li>
147   <li><a href="careers.html">Careers</a></li>
148   <li><a href="contact.html">Contact</a></li>
149 </ul>
150 </span> </div>
151 <!-- NAVIGATION -->
152 <div class="search">
153   <div class="search-wrapper">
154     <script>
155 (function () {
156   var cx = '017201257253524076367:avcnltgvmhk';
157   var gcse = document.createElement('script');
158   gcse.type = 'text/javascript';
159   gcse.async = true;
160   gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
161     '//www.google.com/cse/cse.js?cx=' + cx;
162   var s = document.getElementsByTagName('script')[0];
163   s.parentNode.insertBefore(gcse, s);
164   })();
165 </script>
166   <gcse:search></gcse:search>
167 </div>
168 </div>
169 </div>
170 </nav>
171 <div class="breadcrumbs"><a href="index.html">Home</a> > <a href="power.html">Power</a> > <a href="iboot.html">iBoot</a> > iBoot-G2S</div>
172 >
173 <section class="main">
174   <div itemscope itemtype="http://schema.org/Product">
175 <meta itemprop="brand" content="Dataprobe" />
176 <meta itemprop="name" content="iBoot-G2S" />
177 <meta itemprop="image" content="http://dataprobe.com/images/products/models/1410046_model.jpg" />
178 <meta itemprop="description" content="Web Power Switch. Advanced Model with Built-in 2 port 10/100 switch. Control power over the network with
179 this single outlet power controller. AutoPing, Heartbeat, Graceful Shutdown, Expandable" />
180 <div itemprop="offers" itemscope itemtype="http://schema.org/Offer">
181   <meta itemprop="price" content="229.00" />
182   <meta itemprop="priceCurrency" content="USD" />
183   <meta itemprop="availability" content="http://schema.org/InStock" />
184   <meta itemprop="itemCondition" content="http://schema.org/NewCondition" />
185 </div>
186 </div>
187
188 <div class="row-fluid"> <a id="top"></a>
189   <div class="main-inner">
190     <h1>iBoot<sup><span style="font-size: 60%;">&reg;</span></sup> Model iBoot-G2S Web Power Switch</h1>
191     <div style="width:600px; float:left; margin-top:20px;">
192       <h3>Top Features</h3>
193       <UL class="topFeatures">
194         <LI>Web Controlled Power Switch</LI>
195         <li>Integrated 10/100 Network Switch
196         <LI>AutoPing and HeartBeat - Auto Reboot</LI>
197         <LI>Cloud Service - Manage from Anywhere</LI>
198         <LI>UL Listed for Safety and Reliability</LI>
199         <a href="#features">See All Features</a>
200       </UL>
201       <h3>Pays for Itself with the
202         First Service Call Saved<br />
203       <br />
204     </h3>
205     <div style="width:285px; float:left; padding-right:15px;"> Don't let the cost of downtime keep you from meeting your service and revenue expectations. Keep your critical systems running without expensive service calls. Use low-cost remote power control to automatically reboot failed devices and get up and running in the most cost effective way possible.
206     <p>iBoot<sup><span style="font-size: 70%;">&reg;</span></sup> will save you time and money by reducing costly downtime. Just point your browser to the iBoot<sup><span style="font-size: 70%;">&reg;</span></sup>, login and you are one click away from bringing that failed system back to life. iBoot<sup><span style="font-size: 70%;">&reg;</span></sup> will even detect failed systems and take immediate action. </p>
207     </div>
208     <div style="width:290px; float:right;"><a class="ytvideo" title="iBoot Introduction" href="http://www.youtube.com/watch?v=ZjyxDK6Pq9s&amp;autoplay=1">Video:iBoot<sup><span style="font-size: 60%;">&reg;</span></sup> Introduction</a>
209
210     <!--<p><iframe width="290" height="163" src="//www.youtube.com/embed/ZjyxDK6Pq9s?rel=0&autohide=1&showinfo=0&cc_load_policy=0" allowfullscreen frameborder="0"></iframe></p> -->
211   </div>
212 </div>
```

211 </div>
212 </div>
213
214 <div class="clearfix"></div>
215 <p> </p>
216 <h3> iBoot-G2S Remote Reboot via Web Browser </h3>
217

218 <div style="width:600px; margin-bottom:20px; float:left">
219 <p style="font-size: 16px; font-weight: bold;">Point - Click - Reboot. Its that easy</p>
220 <p>All iBoots (AC) are supplied with power and outlet cords for North America.</p>
221 <p>It can automatically sense trouble using advanced AutoPing features and reboot to get you up and running fast. </p>
222 <p> </p>
223 <div style="width:600px; margin-bottom:20px; float:left">

224 All iBoot^{®} units are UL approved and CE marked for safety. We understand that the reliability and safety of your network and facilities come first.</div>
225

226 </div>
227 <div style="text-align:right; width: 600px">Back to top</div>
228 <div class="clearfix">
229 <hr />
230 </div>
231 <p> </p>
232 <h3>Integrated 2 Port Network Switch </h3>
233

234 <div style="width:600px; margin-bottom:20px; float:left"> </div>
235 <div style="text-align:right; width: 600px">Back to top</div>
236 <div class="clearfix">
237 <hr />
238 </div>
239
240 <p> </p>
241 <h3>iBoot^{®} Cloud Service - Power Control Wherever you Are</h3>
242

243 <div style="width:600px; margin-bottom:20px; float:left">
244 <p>iBoot^{®} Cloud Service (iBCS) allows customers with iBoot-G2 to access and control multiple iBoots in multiple locations from a single portal with a single sign-on.</p>
245 <p>iBCS will not only make using iBoots easier, by consolidating all units into one sign-on and interface, it will also enhance the number of situations where iBoot can be deployed. </p>
246
247 Customers with Dynamic IP addressing to always be able to access their iBoot from any location
248 Service providers manage multiple customer accounts with diverse security configurations
249 Customers that are not allow in-bound connections to access their iBoots.
250
251 <div class="clearfix"></div>
252 <div>
253 <div style="width:300px; float:right; margin-top:0px;">®</sup> Cloud Service Intro Video" />Video:iBoot^{®} Cloud Service </div>
254 <div style="width:300px;">
255 <p>iBoot^{®} Cloud Service is currently in Beta. </p>
256 <p>Read More about iBoot^{®} Cloud Service</p>
257 <p>Visit the iBoot^{®} Cloud Service Site</p>
258 <p>Download the Setup Guide</p>
259 </div>
260 </div>
261 </div>
262 <div style="text-align:right; width: 600px">Back to top</div>
263 <div class="clearfix">
264 <hr />
265 </div>
266 <p> </p>
267 <h3>Automatic Downtime Reboot</h3>
268

269

```
270 <div style="width:600px; margin-bottom:20px; float:left">
271 <div style="float:left; margin-right:30px; margin-bottom:50px;">
272 <iframe align="left" width="300" height="169" src="http://www.youtube.com/embed/u4jOyT_-uH8?hd=1&rel=0&autohide=1&showinfo=0&mo
destbranding=1" frameborder="0" allowfullscreen ></iframe>
273 <br />
274 Watch the video to see AutoPing in Action</div>
275 <div>
276 <h4 style="clear:none;"> AutoPing</h4>
277 <p>iBoot<sup><span style="font-size: 60%;">&reg;</span></sup> automatically monitors and protects your network. AutoPing continuously
tests your connectivity to the internet or to any device on your network. When the network is down, or the device stops functioning, iBoot reboots th
e failed system to get you back on-line fast.</p>
278 <p>You have complete control of the AutoPing parameters, setting the frequency of the tests, the number of tests required to take action, an
d what action is to be taken when the failure is detected. Perfect for:
279
280 <ul>
281 <li>Cable Modems</li>
282 <li>Routers</li>
283 <li>DSL</li>
284 <li>Web Cams</li>
285 </ul>
286 </p>
287 </div>
288 <p></p>
289 <h4 style="clear:none">Heartbeat</h4>
290 <p>The Heartbeat Function provides a deeper inspection of Windows based PCs and Servers. A service app is installed and continuously notifi
ies the iBoot that all is well. When the heartbeat stops, the iBoot springs into action to do 'Computer CPR' to get the system back on-line.</p>
291 <p>The iBoot-G2+ can furthermore attempt a graceful shutdown or restart of the server to forestall a hard power cycle of shutdown.</p>
292 </div>
293 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>
294 <div class="clearfix">
295 <hr />
296 </div>
297 <a name="expansion"></a>
298 <p>&nbsp;</p>
299 <h3>iBoot-G2S Expansion to three outlets</h3>
300 <br />
301 <div style="width:600px; margin-bottom:20px; float:left">
302 <p>
303 <p>iBoot-G2S is expandable with low cost satellite units to provide independent control of up to three outlets, with separate AutoPing monitorin
g as needed. If not used with the expansion units, the ports on the iBoot-G2+ can be used as General Purpose I/O or as manual override control for
the power outlets.</p>
304 <table width="250" border="0" cellspacing="0" cellpadding="2">
305 <tr>
306 <td><strong>Order 1<br />
Master iBoot-G2S Unit</strong></td>
307 <td><div class="buy-now" style="float:right;">
308 <form name="ibg2s2" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" onsubmit="myOpenWindow()">
309 <input name="item" value="s-3238^1410046^iBoot-G2S<br>Web Power Switch - With 10/100 Network Switch^229.00^1^^^2.5^" type="h
idden">
310 <input name="qtydisc" value="DISC:5=C225.00|10=C220.00|50=C2010" type="hidden">
311 <a href="javascript:document.ibg2s2.submit();"></a>
312 </form>
313 </div></td>
314 </tr>
315 <tr>
316 <td><strong>Order 1 or 2<br />
iBoot-EXP Units for expansion</strong></td>
317 <td><div class="buy-now" style="float:right;">
318 <form name="ibexp3" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" >
319 <input type="hidden" name="item" value="s-3238^1410038^iBoot-EXP&lt;br>&gt;iBoot Expansion Unit^99.00^1^^^2.5^">
320 <input type="hidden" name="qtydisc" value="DISC:5=C95.00|10=C89.00|50=C69.15.00">
321 <a href="javascript:document.ibexp3.submit();"></a>
322 </form>
323 </div></td>
324 </tr>
325 </table>
326 </p>
327 </div>
328 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>
329 <div class="clearfix">
330 <hr />
331
332
```



```

333 </div>
334 <a id="features"></a>
335 <p>&nbsp;</p>
336 <h3>iBoot-G2S Features</h3>
337 <br />
338 <table class="spectable">
339 <tr>
340 <td width="140"><strong>Web Browser Power Control</strong></td>
341 <td width="446">Clean Web page design for immediate status and power control. Auto detects mobile browsers. No special software require
ed.</td>
342 </tr>
343 <tr>
344 <td><strong>Built-In 2 Port 10/100 Switch</strong></td>
345 <td>Eliminate extra cable runs and make installation a snap. Add iBoot to an existing Kiosk or Sign Install without having to add an additional
switch and power supply.</td>
346 </tr>
347 <tr>
348 <td><strong>Automatic System Restoral</strong></td>
349 <td>AutoPing and Heartbeat detect network or equipment outage and takes immediate action to restore your network or device. Real time so
heduling to have a fresh reboot each morning or minimize power waste at night.</td>
350 </tr>
351 <tr>
352 <td><strong>Cloud Contro</strong>l</td>
353 <td>Manage all your iBoots from a single sign-on. Control power worldwide from any web browser, anytime anywhere</td>
354 </tr>
355 <tr>
356 <td><strong>Graceful Shutdown</strong></td>
357 <td>Attempts to do a Graceful Shutdown or Restart on Windows platforms prior to hard power switch.</td>
358 </tr>
359 <tr>
360 <td valign="top" style="padding-top: 5px; padding-left: 10px;padding-left: 10px; width: 75px"><p class="specs"><strong>Expandable</strong>
></td>
361 <td>Add one or two iBoot-EXP expansion units with independent control, and AutoPing.
362 <p class="specs">When not used for expansion units, the inputs and outputs can be used for general purpose I/O or as manual power contr
ol.</td>
363 </tr>
364 <tr>
365 <td valign="top" style="padding-top: 5px; padding-left: 10px;padding-left: 10px; width: 75px"><p class="specs"><strong>USB Port</strong></
td>
366 <td>Out-of-band management with simple serial commands for status, control and setup.</td>
367 </tr>
368 <tr>
369 <td><strong>UL Listed</strong></td>
370 <td>We take your safety seriously. Be confident to pass fire marshal inspections.</td>
371 </tr>
372 <tr>
373 <td><strong>Dual Password Protected</strong></td>
374 <td>Separate user and administrator passwords. Deploy iBoots throughout your organization. </td>
375 </tr>
376 <tr>
377 <td><strong>IP Addressed, 10/100 Base-T</strong></td>
378 <td>Use on any Ethernet IP network. Public or private. Supports DHCP and alternate ports for Web Access. </td>
379 </tr>
380 <tr>
381 <td><strong>Direct TCP and Software Control</strong></td>
382 <td>Control iBoot directly from your software application for the highest degree of power control integration. Simple protocol is freely avail
able. Use iBoot control program to call power control from any network management system.&nbsp;<a href="http://www.ipsentry.com/scr/hardwar
e.asp?reviewID=dataprobe,iboot" target="_blank">IPsentry</a>&nbsp;<a href="http://www.ipswitch.com/Support/WhatsUp/guide/v602/3alerts%20a
nd%20notifs2.html#5245" target="_blank">What'sUp Gold</a>, etc. </td>
383 </tr>
384 <tr>
385 <td valign="top" style="padding-top: 5px; padding-left: 10px;padding-left: 10px; width: 75px"><p class="specs"><strong>110/220 VAC Operat
ion</strong></td>
386 <td>Auto ranging power input. Deploy iBoot anywhere in the world. iBoot-G2 uses IEC320 Connectors and includes line and extension cord
s for North America. </td>
387 </tr>
388 <tr>
389 <td><strong>12 Amp Switching</strong></td>
390 <td>Current for most Servers, Routers, Kiosks, etc. 10 Amps at 220 VAC.</td>
391 </tr>
392 </table>
393 <p>&nbsp;</p>
394 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>
395 <!--<div class="clearfix">
396

```

```
397 <hr />
398 </div>
399 <a id="models"></a>
400 <p>&nbsp;</p>
401
402 <h3>iBoot-G2 Get One Now</h3>
403 <br />
404
405 <div style="width:600px; margin-bottom:20px; float:left"><span class="product-lba"></span> <a rel="product-gallery" href="images/products/large/1410034_Large.jpg" class="product-lb" id="swapImage"> </a>
406 <div style="float:right; width:335px;">
407
408 <p>The <strong>iBoot-G2</strong> basic version offers all the features of iBoot-G2+ with the exception
409 of port expansion, USB access, Graceful Shutdown and the Heartbeat Monitor. </p>
410 <p>
411 <div class="available-models-description" style="height:35px;"><span style="font-size: 16px; height: 35px;
412 line-height: 32px; vertical-align: middle; float:left; width:200px;">iBoot-G2<span style="color: #77A12F; float:right; ">$ 179.00 </span></span>
413 <div class="buy-now" style="float:right;">
414 <form name="ibg22" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" onsubmit="myOpenWindow()">
415 <input name="item" value="s-3238^1410034^iBoot-G2 Web Controlled Power Switch^179.00^1^^^^2.5^" type="hidden">
416 <input name="qtydisc" value="DISC:5=C175.00|10=C169.00|50=C152.15.00" type="hidden">
417 <a href="javascript:document.ibg22.submit();"></a>
418 </form>
419 </div>
420 <div class="stocklevel" id="stk1410034a"><font color='#006633'>In Stock.</font></div>
421 </div>
422 </p>
423 </div>
424 </div>
425
426
427
428 <div style="width:600px; margin-bottom:20px; float:left"><span class="product-lba"></span> <a rel="product-gallery" href="images/products/large/1920034_Large.jpg" class="product-lb" id="swapImage"> </a>
429 <div style="float:right; width:335px;">
430 <h4>Mounting Kit</h4>
431 <p>
432 <p> The Mounting Kit is everything you need to attach any iBoot model to a DIN rail or wall/backboard. </p>
433 <p></p>
434 <div class="available-models-description" style="height:35px;"><span style="font-size: 16px; height: 35px;
435 line-height: 32px; vertical-align: middle; float:left; width:200px;">Mounting Kit<span style="color: #77A12F; float:right; ">$ 8.00 </span></span>
436 >
437 <div class="buy-now" style="float:right;">
438 <form name="mk122" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" onsubmit="myOpenWindow()">
439 <input name="item" value="s-3238^1920034^MK-1<br>Wall and DIN Mounting Kit ^8.00^1^^^^1^" type="hidden">
440 <input name="qtydisc" value="DISC:10=C7.5.00" type="hidden">
441 <a href="javascript:document.mk122.submit();"></a>
442 </form>
443 </div>
444 <div class="stocklevel" id="stk1920034a"><font color='#006633'>In Stock</font></div>
445 </div>
446 </div>
447 </div>
448
449 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>-->
450 <div class="clearfix">
451 <hr />
452 </div>
453 <a id="screenshots"></a>
454 <p>&nbsp;</p>
455 <h3>Screenshots</h3>
456 <br />
457 <div style="width:600px; margin-bottom:20px; float:left"> <a rel="product-gallery" href="images/site/screenshots/iboot-g2_screenshot_home_history.png" class="product-lb" id="swapImage"> </a>
458 <p><strong>iBoot-G2S Status</strong></p>
459 <p>Clean web page design makes it easy to see the status and control power to any outlet. History log shows the last 5 events.</p>
460 </div>
461 <div style="width:600px; margin-bottom:20px; float:left"> <a rel="product-gallery" href="images/site/screenshots/iboot-g2_screenshot_home_autoping.png" class="product-lb" id="swapImage"> </a>
462 <p><strong>iBoot-G2S Status with AutoPing Enabled</strong></p>
463 <p>If AutoPing or Heartbeat are enables, their status is displayed as well. View the number of triggers.</p>
464 </div>
465 <div style="width:600px; margin-bottom:20px; float:left"> <a rel="product-gallery" href="images/site/screenshots/iboot-g2_screenshot_setup_sc
hedule.png" class="product-lb" id="swapImage"> </a>
466 <p><strong>Scheduling Setup</strong></p>
467 <p>All the setup is handled with easy web forms. Set multiple schedules to have a clean reboot every morning, or shut down at night to reduc
e power waste.</p>
468 </div>
469 <div style="width:600px; margin-bottom:20px; float:left"> 
470 <p><strong>Mobile Pages</strong></p>
471 <p>Take power control with you wherever you travel. iBook<sup><span style="font-size: 60%;">&reg;</span></sup> Automatically detects mo
bile browsers and provides reduced clutter for easy one thumb access. </p>
472 </div>
473 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>
474 <div class="clearfix">
475 <hr />
476 </div>
477 <a id="specifications"></a>
478 <p>&nbsp;</p>
479 <h3>Specifications</h3>
480 <p>
481 <table class="spectable">
482 <tr>
483 <td valign="top"><p><strong>&nbsp;</strong></p></td>
484 <td><strong>iBoot-G2S<br />
485 </strong><strong> </strong></td>
486 </td>
487 </tr>
488 <tr>
489 <td><strong>Power</strong></td>
490 <td>105 - 240 VAC Auto Ranging </td>
491 </tr>
492 <tr>
493 <td><strong>Power Switching</strong></td>
494 <td>12 Amps at 105-125 VAC,&nbsp;<br>
495 10 Amps at&nbsp;<br> 210-240 VAC </td>
496 </tr>
497 <tr>
498 <td><strong>Power Connectors</strong></td>
499 <td>Power Inlet: IEC 320 C13 Plug.<br>
500 Line cord for North America Included. <br />
501 16AWGX3C x 6'2m<br>
502 Power Out: IEC 320 C14 Receptacle.&nbsp;<br>
503 Extension Cord for N. America Included.<br />
504 16AWGX3C x 2'60cm </td>
505 </tr>
506 <tr>
507 <td><strong>Network</strong></td>
508 <td colspan="2" valign="top" style="padding-left: 10px; width: "><p>Dual 10/100base-T, Auto sensing Uplink/Downlink&nbsp;<br>
509 Cat 5 Cable Included 6'2m long</p>
510 USB Mini-B Com Port 9600 8 N 1 </td>
511 </td>
512 </tr>
513 <tr>
514 <td><strong>Protocols</strong></td>
515 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: ">IP Addressable. DHCP or Static<br>
516 HTTP Web Server built-in, Port Assignable<br>
517 Telnet Server built-in, Port Assignable<br>
518 DXP Messaging Protocol, Port Assignable&nbsp;<br>
519 Auto-Ping TCP Protocol<br>
520 Heartbeat Detector Protocol<br></td>
521 </tr>
522 <tr>
523 <td><strong>External I/O<br>
524 iBoot-G2+ Only</strong>
525 </p></td>
526 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: "><p class="specs">Two Inputs, Two Outputs, Screw Termin
al Connections:<br>
527
```



```
528 <table class="specinner">
529 <tr>
530 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 25px"><p class="specs">Designator</p></td>
531 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 50px"><p class="specs">Name</p></td>
532 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 200px"><p class="specs">Description</p></td>
533 </tr>
534 <tr>
535 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 25px"><p class="specs">V+</p></td>
536 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 50px"><p class="specs">Power Out</p></td>
537 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 200px"><p class="specs">This is +12 VDC power out from the iBo
ot-G2+<br>
538 Maximum current 100 mA</p></td>
539 </tr>
540 <tr>
541 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 25px"><p class="specs">I</p></td>
542 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 50px"><p class="specs">Input</p></td>
543 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 200px"><p class="specs">Input for status signals. Dry Contact inp
ut or Open Collector.</p></td>
544 </tr>
545 <tr>
546 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 25px"><p class="specs">G</p></td>
547 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 50px"><p class="specs">Ground</p></td>
548 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 200px"><p class="specs">Signal Ground for Input and Output</p>
</td>
549 </tr>
550 <tr>
551 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 25px"><p class="specs">O</p></td>
552 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 50px"><p class="specs">Output</p></td>
553 <td valign="top" style="padding-top: 5px; padding-left: 10px; width: 200px"><p class="specs">2N3904 NPN Transistor. 100 mA Maxim
um</p></td>
554 </tr>
555 </table></td>
556 </tr>
557 <tr>
558 <td><strong>Browser</strong></td>
559 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: ">Form Processing Browser Required<br>
560 Mozilla 3.0 or IE 3.0 or greater </td>
561 </tr>
562 <tr>
563 <td><strong>Security</strong></td>
564 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: ">Dual Password Protected, User and Admin </td>
565 </tr>
566 <tr>
567 <td><strong>Physical</strong></td>
568 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: ">H x W x D: 2.0&quot; x 3.2&quot; x 4.2&quot; (60mm x
82mm x 107mm)<br>
569 Operating Temperature 0 to 50 Deg. C </td>
570 </tr>
571 <tr>
572 <td><strong>Reliability</strong></td>
573 <td colspan="2" valign="top" style="padding-top: 5px; padding-left: 10px; width: ">MTBF 320,000 Hours<br>
574 Operating Cycles 10,000,000 Mechanical. 100,000 at Maximum Load </td>
575 </tr>
576 <tr>
577 <td><strong>Compliance</strong></td>
578 <td colspan="2" style="padding-top: 5px; padding-left: 10px; width: ">RoHS/WEEE<br>
579 FCC Part 15 Class B<br />
580 <br />
581 <strong>AC Versions</strong><br />
582 UL/cUL UL60950&nbsp;<br />
583 Listed I.T.E File No. E225914<br>
584 CE Directives 89/336/EEC, 92/31/EEC and 93/68/EEC<br>
585 </td>
586 </tr>
587 </table>
588 <br />
589 <div style="text-align:right; width: 600px"><a href="#top">Back to top</a></div>
590 iBoot<sup><span style="font-size: 70%;>&reg;</span></sup> is a Registered Trademark of Dataprobe Inc. All rights Reserved.
591 </p>
592 </div>
593 <div class="col-right"> <a id="buy"></a>
594 <div class="sidebox-style-addtocart">
595 <!-- <div class="sidebox-style-addtocart-productlogo"></div> -->
596 <div class="sidebox-style-addtocart-wrapper-a">
597 <div class="sidebox-style-addtocart-title">Get One Now</div>
```

```
598 </div>
599 <div class="sidebox-style-addtocart-wrapper-b">
600 <div class="sidebox-style-addtocart-subtitle"></div>
601 <div class="sidebox-style-addtocart-productimage" style="position:relative;"> <span class="product-2ba"></span> <a rel="product-gallery" href=
ef="images/products/large/1410046_Large.jpg" class="product-lb" id="swapImage"> </a> </div>
602 <div class="buy-now-volume">quantity discounts shown in cart</div>
603 <div class="sidebox-style-addtocart-description" style="height:75px;">
604 <div class="sidebox-style-addtocart-price2">iBoot-G2S</div><div class="clear"></div><div class="sidebox-style-addtocart-price2">$ 229.00
</div>
605 <div class="buy-now-2">
606 <form name="ibg2s" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" onsubmit="myOpenWindow()">
607 <input name="item" value="s-3238^1410046^iBoot-G2S<br>Network Power Switch - With 10/100 Net Switch^229.00^1^^^^2.5^" type="hi
dden">
608 <input name="qtydisc" value="DISC:5=C225.00|10=C220.00|50=C210" type="hidden">
609 <a href="javascript:document.ibg2s.submit();"></a>
610 </form>
611 </div>
612 <div class="stocklevel" id="stk1410046"><font color='#DA571F'>Limited Stock; Call for Delivery</font></div>
613 <!--<div class="stocklevel"><font color='#006633'>Call for Delivery</font></div> -->
614 </div>
615
616 <div class="sidebox-style-addtocart-description" style="height:45px; padding-top:15px;">You Might Also Need...</div>
617 <div class="sidebox-style-addtocart-description"><span class="sidebox-style-addtocart-model"><a href="#expansion">iBoot-EXP</a><span
class="sidebox-style-addtocart-cost" onclick="showVol('vibexp')">$ 99.00</a> </span></span>
618 <div class="buy-now-2">
619 <form name="ibexp" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" >
620 <input type="hidden" name="item" value="s-3238^1410038^iBoot-EXP&lt;br&gt;iBoot Expansion Unit^99.00^1^^^^2.5^">
621 <input type="hidden" name="qtydisc" value="DISC:5=C95.00|10=C89.00|50=C69.15">
622 <a href="javascript:document.ibexp.submit();"></a>
623 </form>
624 </div>
625 <div class="stocklevel" id="stk1410038"><font color='#006633'>In Stock.</font></div>
626 </div>
627 <div id="vibexp" class="volume" onclick="this.style.display = 'none';">5-9 $95.00 | 10-49 $89.00 | 50+ $69.15</div>
628 <div class="sidebox-style-addtocart-description"><span class="sidebox-style-addtocart-model"><a href="iboot_models.html">Mounting Kit</a>
><span class="sidebox-style-addtocart-cost" onclick="showVol('vmk1')">$ 8.00 </a> </span></span>
629 <div class="buy-now-2">
630 <form style="height:35px;" name="mk12" action="http://www.cartserver.com/sc/cart.cgi" method="post" target="cart" onsubmit="myOpenW
indow()">
631 <input name="item" value="s-3238^1920034^MK-1<br>Wall and DIN Mounting Kit ^8.00^1^^^^1^" type="hidden">
632 <input name="qtydisc" value="DISC:10=C7.50|50=C7.00" type="hidden">
633 <a href="javascript:document.mk12.submit();"></a>
634 </form>
635 </div>
636 <div class="stocklevel" id="stk1920034"><font color='#006633'>In Stock.</font></div>
637 </div>
638 <div id="vmk1" class="volume" onclick="this.style.display = 'none';">10-49 $ 7.50 | 50+ $7.00</div>
639 <div class="sidebox-style-addtocart-description" style="text-align:center"><a href="iboot_models.html"></a> <br />
640 <div class="buy-now-volume">and additional accessories</div>
641 </div>
642 </div>
643 </div>
644 <div class="sidebox-style-addtocart">
645 <div class="sidebox-style-addtocart-wrapper-a">
646 <div class="sidebox-style-addtocart-title">Other iBoot Models</div>
647 </div>
648 <div class="sidebox-style-addtocart-wrapper-b">
649 <div class="sidebox-style-addtocart-description">
650 <div style="float:left"> <span class="sidebox-style-addtocart-model" style="line-height:18px;">iBoot-G2+ <span style="font-size:12px; color:#
77A12F"><br />
Advanced Model </span></span> </div>
651 <div style="float:right"> <a href="iboot-g2plus.html"></a> </div>
652 </div>
653 <div class="sidebox-style-addtocart-description">
654 <div style="float:left"> <span class="sidebox-style-addtocart-model" style="line-height:18px;">iBoot-G2 <span style="font-size:12px; color:#7
7A12F"><br />
Standard Model </span></span> </div>
655 <div style="float:right"> <a href="iboot-g2.html"></a> </div>
658 </div>
659 <div class="sidebar-style-addtocart-description">
660 <div style="float:left"> <span class="sidebar-style-addtocart-model" style="line-height:18px;">iBoot-DC <span style="font-size:12px; color:#
77A12F"><br />
661 DC Power Version</span></span> </div>
662 <div style="float:right"> <a href="iboot-dc.html"></a> </div>
663 </div>
664 <div class="sidebar-style-addtocart-description">
665 <div style="float:left"> <span class="sidebar-style-addtocart-model" style="line-height:18px;">iBootBar <span style="font-size:12px; color:#7
7A12F"><br />
666 8 Outlet PDU </span></span> </div>
667 <div style="float:right"> <a href="ibootbar.html"></a> </div>
668 </div>
669 </div>
670 <!-- WRAPPER B #2 ADDL MODELS -->
671 </div>
672 <!-- sidebar-style-addtocart -->
673
674 <div class="sidebar-style-1-title">Demo iBoot Now<br />
675 <br />
676 </div>
677 <div class="live-demo"> <a href="javascript:;"></a> </div>
678 <div class="sidebar-style-1">
679 <div class="sidebar-style-1-wrapper-a">
680 <div class="sidebar-style-1-title">Promo:</div>
681 </div>
682  </div>
683 <div class="sidebar-style-1">
684 <div class="sidebar-style-1-wrapper-a">
685 <div class="sidebar-style-1-title">iBoot Resources</div>
686 </div>
687 <h4 style="padding:5px 0 0 10px;"><a href="support/iboot/iboot-g2s_qs.pdf" target="_blank">iBoot-G2S Quick Start Guide</a></h4>
688 <h4 style="padding:5px 0 0 10px;"><a href="support/iboot/iboot-g2s.pdf" target="_blank">iBoot-G2S Operations Manual</a></h4>
689 <h4 style="padding:5px 0 0 10px;"><a href="support_iboot-g2s.html" target="_blank">iBoot-G2S Support Page</a></h4>
690 <h4 style="padding:5px 0 0 10px;"><a href="colateral/dataprobe-iboot-g2.pdf" target="_blank">iBoot Brochure</a></h4>
691 </div>
692 <div class="sidebar-style-1">
693 <div class="sidebar-style-1-wrapper-a">
694 <div class="sidebar-style-1-title">Need Help? Contact Us:</div>
695 </div>
696 <div class="sidebar-style-1-wrapper-b">
697 <div class="sidebar-style-1-content"> <strong>If you want to discuss which solutions are right for you, or if you need a large quantity, modifi
cation or OEM program, contact us at:</strong><br />
698 <p><span style="color: #005DA9">(800) 436-3284</span> | <a href="mailto:sales@dataprobe.com"><span style="color: #005DA9">sales
@dataprobe.com</span></a><br />
699 To send us an immediate request, <a href="contact.html">click here</a>.</p>
700 </div>
701 </div>
702 <div class="sidebar-style-1-wrapper-b">
703 <div class="sidebar-style-1-content"><br />
704 <strong>For all Technical Support, Manuals, Downloads and Instructional Videos</strong> <br />
705 <p><span style="color: #005DA9"><a href="support_iboot.html">Click Here for Support</a><br />
706 </span></p>
707 </div>
708 </div>
709 </div>
710 <p>&nbsp;</p>
711 <div class="sidebar-style-1">
712 <div class="sidebar-style-1-wrapper-a">
713 <div class="sidebar-style-1-title">By Industry:</div>
714 </div>
715 <div class="sidebar-style-1-wrapper-b">
716 <div class="sidebar-style-1-content">
717 <ul>
718 <li><a href="enterprise.html">Enterprise</a></li>
719 <li><a href="digital-signage.html">Digital Signage</a></li>
720 <li><a href="kiosk-and-self-service.html">Kiosk & Self Service</a></li>
721 <li><a href="small-business-and-home.html">Small Business & Home</a></li>
722 </ul>
723 </div>
```

```

724     </div>
725 </div>
726 </div>
727 <!-- col right -->
728
729 </div>
730 <!-- row fluid -->
731
732 </section>
733 <footer>
734 <div class="footer-wrapper">
735 <div class="company-info">
736 <address>
737 <h6>Dataprobe, 1B Pearl Court, Allendale, NJ 07401 | (800) 436-3284</h6>
738 </address>
739 </div>
740 <div class="footer-nav">
741 <h6> <a href="terms.html">Terms</a> / <a href="privacy.html">Privacy</a> | Sitemap</h6>
742 </div>
743 <div class="copyright">
744 <h6>&copy; <script language="JavaScript"> var d=new Date(); yr=d.getFullYear(); if (yr!=2003) document.write(" "+yr); </script> Dataprobe, In
c.</h6>
745 </div>
746 <div class="clear"></div>
747 </div>
748 </footer>
749 </div>
750 <script type="text/javascript" src="/quickmenu.js"></script>
751 <script type="text/javascript" src="/scripts.js"></script>
752 <script type="text/javascript" src="/jquery.js"></script>
753 <script type="text/javascript" src="/bootstrap.js"></script>
754 <script type="text/javascript" src="/fancyboxpack214.js"></script>
755 <script type="text/javascript" src="/fancybox214.js"></script>
756 <script type="text/javascript" src="/product-details-scripts.js"></script>
757 <script type="text/javascript" src="/youtube-video.js"></script>
758 <script type="text/javascript">
759 $(document).ready(function () {tableFmt();});
760
761 // add all models shown on page to this array
762 var modelsArray = new Array('1920034','1410034','1410046');
763 checkStock(modelsArray);
764
765
766 $(function () {
767   $( ".sidebox-style-addtocart-cost" ).tooltip({
768     position : {
769       my: "center bottom-20" ,
770       at: "center top" ,
771       using : function( position, feedback ) {
772         $( this ).css( position );
773         $( "<div>" )
774           .addClass ( "arrow" )
775           .addClass ( feedback.vertical )
776           .addClass ( feedback.horizontal )
777           .appendTo ( this );
778       }
779     }
780   });
781 });
782
783
784
785 </script>
786 <script type='text/javascript'>
787 var modht = $("#models").offset().top;
788 var elem = document.getElementById("modelvid") ;
789 $("#modelvid").offset({ top: modht})
790 </script>
791 <script type= "text/javascript" >
792 piAId = '105512';
793 piCId = '1241';
794
795 (function () {
796   function async_load(){
797     var s = document.createElement('script'); s.type = 'text/javascript';

```

```
798     s.src = ('https:' == document.location.protocol ? 'https://pi' : 'http://cdn') + '.pardot.com/pd.js';
799     var c = document.getElementsByTagName('script')[0]; c.parentNode.insertBefore(s, c);
800 }
801 if(window.attachEvent) { window.attachEvent('onload', async_load); }
802 else { window.addEventListener('load', async_load, false); }
803 })();
804 </script>
805 </body>
806 </html>
807
```