

SCIENTIFIC SURFACE SOLUTIONS





TRESPA® TOPLAB® PLUS
ANTIBACTERIAL AND
HIGHLY CHEMICAL
RESISTANT

TopLab^{®PLUS} is the perfect surface for quality worktops with inherent antibacterial properties and highly resistant to a wide variety of aggressive chemicals.



SCIENTIFIC SURFACE SOLUTIONS

THE CHOICE FOR SAFE AND DURABLE LABORATORY, RESEARCH AND EDUCATIONAL ENVIRONMENTS

TODAY'S LABORATORY AND FUNCTIONAL ENVIRONMENTS DEMAND COMPLIANCE WITH RIGOROUS CODES AND STANDARDS. THEREFORE, SELECTING THE RIGHT MATERIAL IS OF CRUCIAL IMPORTANCE. TRESPA® TOPLAB® OFFERS THREE PRODUCT LINES THAT MEET THE HIGHEST REQUIREMENTS WHILE OFFERING AN ATTRACTIVE AND TIMELESS PALETTE OF HIGH-QUALITY DÉCORS.

TRESPA® TOPLAB® BASE

THE HEAVY DUTY SURFACE

TopLab®*BASE* is the robust and lasting panel for worktops and cabinetry applications where scratch and wear resistance are of great importance whereas the chemical resistance of the surface is not critical.



TRESPA® TOPLAB® VERTICAL

PERFECT FOR FUME HOODS AND LABORATORY VERTICAL CONSTRUCTED COMPONENTS

TopLab®*VERTICAL* comprises chemically resistant and antibacterial surfaces for applications in healthcare, cosmetics, food, pharmaceutical and laboratory environments, such as cabinetry, peg boards, backsplashes and cladding in fume hoods.



TRESPA® TOPLAB®

UNIQUE SURFACES FOR THE MOST DEMANDING APPLICATIONS

A LEADING PRODUCER IN THE FIELD OF SCIENTIFIC SURFACE SOLUTIONS, TRESPA INTERNATIONAL B.V. HAS SPECIFICALLY DEVELOPED THE TRESPA® TOPLAB® PRODUCT RANGE FOR THE MOST DEMANDING FUNCTIONAL AND SCIENTIFIC APPLICATIONS. COMPRISED BY THREE PRODUCT LINES, TRESPA® TOPLAB® IS A HIGH-PRESSURE COMPACT LAMINATE (HPL) FABRICATED WITH WOOD-BASED FIBERS AND THERMOSETTING RESINS.



The three product lines combine basic requirements—like long-lasting surface hygiene, impact and scratch resistance, flexibility and easy to use—with aesthetic qualities that can contribute to enhance the experience of employees and visitors.

TRESPA® TOPLAB® PLUS

Manufactured with Trespa's unique Electron Beam Curing (EBC) technology, Trespa® Toplab®^{PLUS} surface is easy to clean and shows a high resistance to a large number of aggressive chemicals. It also has inherent antibacterial properties without the addition of microbial additives. Trespa® Toplab®^{PLUS} panels provide an ideal choice in environments where hygiene, avoidance of contamination, sustainability, ergonomics and safety are of importance. Trespa® Toplab®^{PLUS} is extensively used in a wide variety of lab environments worldwide, including chemical, physical, analytical and microbiological laboratories.

TRESPA® TOPLAB® VERTICAL

Ideal for environments where bacteria and dirt pose a real threat. Trespa® Toplab®^{VERTICAL} comprises chemically resistant and antibacterial surfaces for applications in functional and laboratory environments, such as cabinetry, special covering for modular elements, and lining of fume hoods and backsplashes. Manufactured with Trespa's EBC technology, its surface is smooth and shows a significant low dirt accumulation making it easy to clean. Trespa® Toplab®^{VERTICAL} is available in Standard and Fire-Retardant grade.

TRESPA® TOPLAB® BASE

Engineered for long-lasting and good looks, Trespa® Toplab®^{BASE} offers an outstanding performance for educational, laboratory and institutional applications where chemical resistance is not critical. Its melamine surface delivers excellent scratch resistance and overall durability, retaining its appearance for a long time. Trespa® Toplab®^{BASE} is highly resistant to wear, making it ideal for worktops and cabinetry applications where severe use and frequent cleaning are expected. Its surface is not adversely affected by moisture and the panel remains impervious to mold or rot.



Think Trespa



LOW MAINTENANCE

The closed surface of Trespa® Toplab® practically withstands dirt accumulation, keeping it smooth and easy to clean. To know more about the cleaning, please visit trespa.info.

DESIGN FLEXIBILITY

With high performance comes design freedom. Trespa® Toplab® offers a range of classic, modern and trend-setting colors and is available in several thicknesses and sizes. The panels have a homogenous core and can be machined similar to high-quality hardwoods.

10-YEAR PRODUCT GUARANTEE

The unique properties of Trespa® Toplab® panels make them highly durable. That is why Trespa offers a 10-year conditional guarantee on its product line. Please refer to your local sales representative for more information.

TESTING AND CERTIFICATION

Trespa® products for scientific surface solutions are tested and certified according to international standards in relation to chemical resistance, antibacterial performance, low emission, food contact and decontamination. Trespa International B.V. is a member of SEFA (Scientific Equipment and Furniture Association), EGNATON (European Association for Sustainable Laboratory Technologies) and VIP3000 (Association for Clean Rooms and Pharmaceutical Construction). To see available certifications, please visit trespa.info.



USING RENEWABLE RESOURCES

The entire Trespa® Toplab® product range is now available with the PEFC™ (Programme for the Endorsement of Forest Certification™) or FSC™ (Forestry Stewardship Council™) certification upon request for restricted quantities and jurisdictions. The use of FSC™ and PEFC™ certified Trespa® panels may also contribute to points associated with green building certification systems like LEED, BREEAM and DGNB. These certifications are one of the initiatives resulting from Trespa's Sustainability Policy, by which Trespa shows its commitment to the use of raw materials from sustainable origin and to forest preservation.



ABOUT TRESPA

Trespa International B.V. is a leading innovator in the field of architectural materials, recognized internationally as a premier developer of high quality panels for exterior cladding, decorative façades and scientific surface solutions. Since its founding in 1960, Trespa has worked closely with architects, designers, installers, distributors and end users globally. Trespa believes in product innovation, combining quality manufacturing technologies with smart solutions for architectural and scientific surface solutions.



24 HOURS
CHEMICAL
RESISTANT



24 HOURS
ANTIBACTERIAL
PROPERTIES



SCRATCH
& WEAR
RESISTANT



EASY
TO CLEAN



QUICK
INSTALLATION



EXCELLENT
MACHINABILITY














SUITABLE
FOR CONTACT
WITH FOOD



IMPACT
RESISTANT



























TOPLAB® PLUS

 T03.0.0 White	 T05.0.1 Limestone Yellow	 T03.1.0 Pastel Grey	 T03.4.0 Silver Grey	 T70.0.0 Slate Grey	 T90.0.0 Black
 T18.0.1 Mystic White	 T21.1.1 Glacier Blue	 T30.0.1 Polar Green	 D02.1.0 Pastel Grey/Silver	 T09.3.4 Canyon Red	








TOPLAB® VERTICAL




 K05.0.0 Pure White	 K03.0.0 White	 K03.1.0 Pastel Grey	 K03.4.0 Silver Grey	 K90.0.0 Black
--	--	--	--	--

TOPLAB® BASE

 E0-00 White	 S0-00 Speckle White	 E0-015 Pastel Grey	 S0-015 Speckle Pastel Grey	 E3-01 Sand	 S3-01 Speckle Sand	 W73-01 Beech	 W74-01 Oak
 E2-10 Paper White	 E0-02 Silver Grey	 S0-02 Speckle Silver Grey	 E0-04 Mid Grey	 E20-12 Aquamarine	 S20-12 Speckle Aquamarine	 W82-03 Verona Walnut	 W85-02 Pear
 E25-01 Icy Blue	 S25-01 Speckle Icy Blue	 E17-30 Heaven Blue	 E17-32 Powder Blue	 S17-32 Speckle Powder Blue	 E17-52 Aqua Blue	 E0-09 Black	 C0-09 Black Craquele

DELIVERY PROGRAM

	THICKNESSES							FINISHES		SURFACE		GRADE		SIZES	
	6 mm (≈ 1/4 in)	8 mm (≈ 5/16 in)	10 mm (≈ 3/8 in)	13 mm (≈ 1/2 in)	16 mm (≈ 5/8 in)	20 mm (≈ 3/4 in)	25 mm (≈ 1 in)	SATIN	CRYSTAL MATT	EBC TECHNOLOGY	MELAMINE	STANDARD	FIRE RETARDANT	2550 x 1860 mm (≈ 100 x 73 inch)	3050 x 1530 mm (≈ 120 x 60 inch)
TOPLAB® PLUS				•	•	•	•		  	•		•		•	•
TOPLAB® VERTICAL	•	•	•	•				  		•		•	•	•	•
TOPLAB® BASE	•	•	•	•	•	•					•	•	•	•	•

-  SINGLE SIDED DECORATIVE: decorative side with non decorative black reverse
-  DOUBLE SIDED DECORATIVE: same color for front and reverse side of the panel
-  DUOCOLOUR: different color for front and reverse side of the panel

Please check trespa.info for the detailed and up to date Delivery Program and Material Property Datasheet. Alternatively you can use the Product Selector on trespa.com.

CONTACT US

TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert
Wetering 20, 6002 SM Weert
The Netherlands
www.trespa.com

EMEA

Tel: +31 (0) 495 458 412
TopLabEMEA@Trespa.com

USA

Tel: +1-800-487-3772
TopLabUSA@Trespa.com

APAC

Tel: +86 (0)21 62881299
TopLabAPAC@Trespa.com

VISIT US

TRESPA DESIGN CENTRE NEW YORK

62 Greene Street (Ground Floor)
New York, NY 10012
United States of America
Tel: +1 212 334 6888
Fax: +1 866 298 3499
TDC.NewYork@Trespa.com
www.trespa.com/tdc

TRESPA DESIGN CENTRE WEERT

Wetering 20
6002 SM Weert
The Netherlands
Tel: +31 (0) 495 458 845
TDC.Weert@Trespa.com
www.trespa.com/tdc

TRESPA DESIGN CENTRE BARCELONA

Calle Ribera 5,
08003 Barcelona
Spain
Tel: +34 (0) 93 295 4193
Fax: +34 (0) 93 116 3300
TDC.Barcelona@Trespa.com
www.trespa.com/tdc

TRESPA DESIGN CENTRE SANTIAGO

Eliodoro Yáñez 2831
Torre A - Local 1
Providencia, Santiago
Chile
Tel: +56 2 4069990
TDC.Santiago@Trespa.com
www.trespa.com/tdc

FOLLOW US



DISCLAIMER

GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colors used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colors of the Trespa products to be supplied. Samples are not intended for use in product tests and are

not representative of characteristics of the Trespa products. Trespa's products and samples are produced within the specified color tolerances and the colors (of production batches) may differ, even if the same color is used. The viewing angle also influences the color perception. Metallic panels feature a surface whose color appears to change based on the direction from which it is viewed. The specified color stability and color specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery program and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Properties Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

LIABILITY

Trespa is not liable (neither contractual nor

non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on 11 April 2007 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website, www.trespa.

com/documentation. A copy of these general conditions of sale will be provided free of charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions

INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. * Trespa, Meteon, Athlon, TopLab, TopLab^{PLUS}, TopLab^{ECO-FIBRE}, Virtuon, Izeon, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.

VERSION 1.2 ■ BROCHURE CODE V4700 ■ DATE 09-2015



VISIT TRESPA.COM FOR THE MOST
UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®