





Nichigo G-Tape™

INNOVATIVE SOLUTIONS



Solution by Chemistry

 **NIPPON GOHSEI**

**Vandermeer**
Forest Products, Inc.

TOLL FREE: 1-800-526-5205

www.nippon-gohsei.com

Nichigo G-Tape™ KEY FEATURES



HAND TEARABLE



HIGHLY WEATHER RESISTANT
AND WATERPROOF



MULTIPLE COLOURS
AND SIZES



RESIDUE FREE REMOVAL
AND HIGH TENSILE STRENGTH

BASIC STRUCTURE

SINGLE SIDED TAPE

LDPE film
HDPE cloth
LDPE film
Acrylic PSA layer



DOUBLE SIDED TAPE

Liner


Acrylic PSA layer

LDPE film

HDPE cloth

LDPE film

Acrylic PSA layer



REPRESENTATIVE GRADES OF Nichigo G-Tape™

Property	Unit	Masking & Protection			Waterproof & Airtight		Double Sided	
		1003	1008	1009	3030	3040	9206	9030
Thickness	mm	0.14	0.16	0.16	0.17	0.22	0.24	0.22
Adhesion Strength	N/25mm	3	8	9	30	40	20/6	30/30
Holding Power*	mm	0.1	0.1	0.1	0.2	0.9	0.1/0.05	0.6/0.6
Tensile Strength	N/50mm	230	350	280	380	400	400	400
Elongation	%	15	17	15	16	21	21	21

NOTE: Above figures are measured values based on test method of JIS Z-0237.

*The measure of slippage in 1 hour while holding a metal plate.



The technical information and data above are typical values for reference, not specifications.

Nichigo G-Tape™ for AVIATION


Protecting interiors during assembly and maintenance




Protecting windows during cleaning, maintenance and storage



Seaming insulation blankets



Bonding flooring material



Bonding carpets

Nichigo G-Tape™


offers flame retardant feature for many applications in the aerospace industry. Since G-Tape does not leave residue on floors and surfaces, it makes maintenance operation easier.

Nichigo G-Tape™ for AUTOMOTIVE

Protecting interiors during assembly and maintenance



Holding windshield during installation and replacement



Masking and protecting exteriors and body surfaces during polishing and maintenance



Protecting aluminum wheel during transportation



Nichigo G-Tape™


is a hand tearable, residue free and high weather resistant tape. These features offer many solutions to automotive industry and after markets.

Nichigo G-Tape™ for BUILDING & CONSTRUCTION

Splicing and seaming
insulation sheets



Splicing and seaming house wrap



Masking and protecting
interiors and exteriors
during construction



Sealing clearances around
window and door frames

Nichigo G-Tape™

is a highly weather resistant, hand tearable and water proof tape. These features improve productivity and quality in the building and construction industry.

STICK WITH US!

Solution by Chemistry



Solution by Chemistry



NIPPON GOHSEI

NIPPON GOHSEI

Head Office:

OSAKA FUKOKU SEIMEI BUILDING

2-4 Komatsubara-cho, Kita-ku

Osaka 530-0018, Japan

Phone: +81-6-7711-5429

E-mail: #ngc-gtape@mail.nichigo.co.jp

NIPPON GOHSEI EUROPE GmbH

Merowingerplatz 1a

D-40225 Düsseldorf

Germany

Phone: +49-211-385488-0

E-mail: eurosales@nippon-gohsei.com

NIPPON GOHSEI USA Co., Ltd.

3930 Ventura Drive

Suite 355 Arlington Heights

IL 60004, USA

Phone: +1-847-255-1211

E-mail: nusinfo@nichigo-usa.com