

ReadyFlor[®]

by premium floors



Spotted Gum 1 Strip

Furniture from Sydney Antique Centre and Sally Beresford French Farmhouse

Now available with the world
famous Uniclic[®] Installation System

UNICLIC[®]

AU Patent 713,628 AU Patent 752,409

25 year
residential wear
warranty

SRT[®] NANO
superior coating

**lifetime
structural
warranty[®]**
ReadyFlor[®]
by premium floors

ReadyFlor®

No ordinary floor

ReadyFlor® is Australia's best selling pre-finished timber floor. Simply stunning in appearance and made from some of the world's finest hardwoods, using environmentally friendly resources, ReadyFlor® offers excellent resistance to day-to-day wear and tear and is easy to maintain.

Manufactured by methods considered to be the best in the world, ReadyFlor® carries a Lifetime Structural Warranty and is now available with both the standard glue-together profile or the famous Uniclic® installation system.

Environmentally friendly

Material sustainability is a crucial part of our manufacturing equation. That's why the hardwoods we select are as environmentally friendly and sustainable as possible.

In addition, the core of each and every ReadyFlor® board is made using plantation hardwood, known as rubberwood (*hevea brasiliensis*). After the rubber tree has finished its productive life, instead of burning it, we use this very stable hardwood as the structural core of every board in the ReadyFlor® range.



Blackbutt 2 Strip



Furniture from Sally Beresford French Farmhouse

environment

ReadyFlor® construction

ReadyFlor® comprises three layers of timber permanently fused together. This is done using high quality heat-cure adhesive technology. Each layer is fused in opposing grain directions for optimum strength and extraordinary dimensional stability.

The top layer is a sawn solid hardwood and is coated with six coats of scratch-resistant UV lacquer for maximum durability.

This layer is as re-coatable and re-sandable as most conventional solid floorboards.

The bottom layer of the floor, made from plantation timbers, stabilises the overall construction and provides a durable and workable surface to ensure trouble-free installation.

Unlike most floors of this type, **our core** is made from solid hardwood – the environmentally friendly Rubberwood – giving the floor greater dimensional stability.

Every ReadyFlor® board is pre-finished with six coats of S.R.T. lacquer. ReadyFlor® S.R.T. (Scratch Resistant Technology) finishes each board with a wear-resistant finish, ideal for use in both commercial or residential applications.

Our Warranties

Timber is a living product. If not properly manufactured, prepared, treated or installed, timber flooring can warp, twist or delaminate and generally behave in a manner quite contrary to your expectations. Our manufacturing methods are regarded as among the finest in the world. That's why all Readyflor® is sold with a **Lifetime Structural Warranty** and a **25 Year Residential Wear Warranty**. It's your assurance of a naturally beautiful floor for many, many years.



Readyflor's Lifetime Structural Warranty covers warping, twisting and delamination of any board in your floor as a result of manufacturing fault.



With the superior **S.R.T. Nano Coating**, Readyflor® is sold with a 25 Year Residential Wear Warranty covering wear through of the finished surface to raw timber.

Of course, both warranties offered are conditional on your floor being installed and maintained in accordance with our instructions. Full terms and conditions of all warranties, installation and maintenance instructions should be viewed at www.premiumfloors.com.au or requested from your local Readyflor® Retailer.


It's only natural...

Remember that timber is a natural product so gum veins, knots and other natural features are often present, adding to the natural beauty of your timber floor. Colour variation is also to be expected and distinguishes your ReadyFlor® as natural timber, not a manufactured imitation. While ReadyFlor® is certainly resistant to day-to-day life in both residential or commercial applications, ReadyFlor® is genuine timber flooring therefore proper care and maintenance is required to avoid unnecessary marking and scratching.





American Oak 1 Strip



Also available in Kentucky 1 Strip
(stained American Oak)

ReadyFlor® with S.R.T. (Scratch Resistant Technology)

ReadyFlor® is pre-finished using a remarkably tough UV finish coating designed to cope with even the most demanding family and commercial environments. ReadyFlor® **S.R.T. with Nano Technology** provides superior protection against fine scratches that occur from day-to-day foot traffic and unlike ceramic or aluminium oxide finishes, can be re-coated easily using a large array of approved Australian made coatings. Now for the first time, **S.R.T.** incorporates an **anti-microbial** treatment. This treatment actively inhibits the growth of bacteria and fungus, providing a more hygienic living environment all year round.

Manufactured to the highest standards in Sweden, ReadyFlor® S.R.T. laboratory tests show a 30 fold improvement in the prevention of fine scratching.



1. Six coats of S.R.T. lacquer
2. Nominal 4mm hardwood top layer
3. Nominal 8mm hardwood core
4. 2mm bottom layer

It not only provides advanced protection against fine scratching, it ensures your floor will continue to look good and feel great. Of course, while ReadyFlor® S.R.T. is not "scratch proof", be assured that this state-of-the-art coating will provide you with one of the most scratch resistant pre-finished flooring surfaces anywhere in the world. We are so confident, we offer a 25 year wear warranty. See our website for warranty conditions.

superior finish

Compelling reasons to choose ReadyFlor® Uniclic®

ReadyFlor® has long been available with the standard profile that is glued together during installation. This product is known as ReadyFlor® Standard. Recent developments have enabled the introduction of ReadyFlor® Uniclic®, utilising the best glue-free joining system in the world! Uniclic® is a world patented innovation that provides a **remarkably quick installation** and **stronger, neater joins** between boards. Uniclic® ensures that every board joins together beautifully leaving **no unsightly gaps** after installation. Uniclic® has hidden strength. This unique system ensures that the planks click together to form a solid, lasting connection every time. Uniclic® also allows for **simple replacement of damaged planks**, often avoiding the need for messy re-sanding and finishing.



These qualities make Uniclic® the world's number one click installation system.

Uniclic® is especially great for DIY.

An Installation Kit and DVD are available.



Kempas 2 Strip



Armchair courtesy of Laura Ashley

options

ReadyFlor® with Premium Quiet Step Combi-lay

It's no secret that timber floors have often been considered somewhat noisy underfoot. With the introduction of Premium Quiet Step Combi-lay, we have significantly reduced this noise and integrated a moisture barrier into the underlay itself.

We just weren't satisfied that any old underlay was worthy of our timber floor so we developed our own underlay and called it Quiet Step Combi-lay.

Quiet Step Combi-lay is a high density, closed cell foam blanket that reduces foot step noise by up to 30%. Quiet Step Combi-lay also absorbs some of the unevenness of your floor and is an advantage for installations in high rise apartments and areas in which impact isolation is important.

ReadyFlor® maintenance

ReadyFlor® not only provides advanced protection against fine scratching, it also offers excellent resistance to scuffs and day-to-day wear and tear. However, there are steps you can take to maintain the natural warmth and distinctive texture of your floor.

Placing door mats at external entrances and felt floor protectors under all furniture is recommended. Where possible, use rubberised castors and wheels designed for hard flooring and when necessary, remove small stones and grit with a soft bristle broom or vacuum to help prevent scratching. ReadyFlor® should also be protected from excessive heat and sunlight. The use of steam mops and stiletto heels should also be avoided. For regular maintenance, use half a capful of Premium Cork and Timber Cleaner in half a bucket of warm water with a barely damp mop.

(For full maintenance guidelines go to www.premiumfloors.com.au)



Tasmanian Oak 1 Strip

quiet,



low maintenance living

Finishing off...

A Prestige Profile for all applications





Prestige End Transition to other floorcoverings, sliding doors and vertical surfaces



Prestige Border Post fit version of Prestige End and used in similar instances



Prestige Universal Connector for surfaces of even height or small ramp for surfaces of uneven heights



Prestige Ramp Large Ramp used where ReadyFlor® meets much lower surfaces



Prestige Stair Where ReadyFlor® is installed on stairs



Prestige Scotia Used to cover perimeter expansion gaps

Profiles available in 7 wood colours and 3 metal finishes



Beech

Cherry

Kempas

Merbau

North Box

Oak

Tas Oak

Bronze*


Champagne*

Silver*

White†

* Not available in Scotia. † Scotia only

Board styles



3 strip (Parquet style)

ReadyFlor® Standard panel size: 2085 x 186 x 14 mm

ReadyFlor® Uniclic® panel size: 2085 x 186 x 14 mm




2 strip (Double plank)*

ReadyFlor® Standard panel size: 2085 x 186 x 14 mm

ReadyFlor® Uniclic® panel size: 2085 x 186 x 14 mm

*Style may vary
















1 strip (Single plank) featuring 1 joined board per pack

ReadyFlor® Standard panel size: 2085 x 136 x 14 mm

ReadyFlor® Uniclic® panel size: 2085 x 134 x 14 mm

Select your timber and style

Some products are available in ReadyFlor® Standard or ReadyFlor® Unicllic® only.

The Australian Collection			
			
<div>Spotted Gum</div> <div>Gloss</div> <div>11*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>	<div>Blackbutt</div> <div>Gloss</div> <div>9.1*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>	<div>Tasmanian Oak</div> <div>Gloss</div> <div>Ave. 5.6*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>	<div>Jarrah</div> <div>Gloss</div> <div>8.5*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>
<div>Colours may vary</div> <p>Colour images are an indication only as wood colours vary and wood flooring is not colour fast. The Australian Collection will feature a higher level of knots, insect trails and gum veins, in line with the natural characteristics of Australian Eucalyptus hardwoods.</p> <div>Hardness Janka Rating*</div> <p>The janka rating is a measure of the resistance of the wood to indentation. The higher the number, the harder the timber. All ReadyFlor® products feature a hardwood surface and core.</p>			
			 <div>Flooded Gum (Rose Gum)Gloss</div> <div>7.5*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>
The International Collection			
			
<div>Hevea</div> <div>Low Sheen</div> <div>Approx. 5.0*<input type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>	<div>Northern Box</div> <div>Low Sheen</div> <div>Approx. 5.2*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>	<div>American Oak</div> <div>Low Sheen</div> <div>6.0*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>	<div>Kempas</div> <div>Low Sheen</div> <div>Approx. 7.0*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>
			
<div>Red Ironwood</div> <div>Gloss</div> <div>Approx. 10.5*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>	<div>Merbau</div> <div>Low Sheen</div> <div>8.6*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input checked="" type="checkbox"/> 3 Strip</div>	<div>Southern Box</div> <div>Gloss</div> <div>Approx. 5.6*<input checked="" type="checkbox"/> 1 Strip<input checked="" type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>	<div>Kentucky</div> <div>Low Sheen</div> <div>6.0*<input checked="" type="checkbox"/> 1 Strip<input type="checkbox"/> 2 Strip<input type="checkbox"/> 3 Strip</div>

As timber is a natural product, variation in colour and grain will occur. Timber flooring will change colour in response to natural light. Please note that samples are indicative only. Depending on climate conditions slight surface cracks may occur as the timber absorbs or releases moisture. This is a natural transformation of the timber during its life and is not considered a defect. Some knots, insect trails and gum veins should be expected, as per AS2796. There is always some noise associated with wood flooring. This may vary depending on the evenness of the subfloor and prevailing humidity. Such noise should not be considered a product fault.

Your local ReadyFlor® Retailer details

ReadyFlor®

by premium floors



Northern Box 1 Strip

25 year
residential wear
warranty

SRT NANO
superior coating

Your ReadyFlor® contact details

NSW 02 9982 3777 • VIC 03 9544 3911 • QLD 07 3273 3111
SA 08 8345 0455 • WA 08 9240 1966 • ACT 02 9982 3777
TAS 03 9544 3911 • NT 08 8345 0455 • NZ 09 476 0428
www.premiumfloors.com.au

**lifetime
structural
warranty**
ReadyFlor®
by premium floors