



**PERFORMANCE
ELASTOMERS**



RUBBER & PLASTIC EXTRUSION GASKETS, TRIMS & SEALS



888-870-4882

330-297-2255

WWW.PERFORMANCEELASTOMERS.COM

WHO WE ARE



Established in 1992, Performance Elastomers is an ISO Certified leader in rubber and plastic extrusion manufacturing. Our capabilities include the ability to produce a wide range of profile designs in both dense and sponge materials. Commonly used materials include Silicone, EPDM, Polyisoprene, Neoprene, Nitrile, Butyl, SBR, TPE, TPO, TPV and Natural Rubber.

Performance Elastomers is a customer-focused and quality-driven company. We strive to instill and maintain a quality practice in our company culture that commands a proactive approach in support of our customers' goals. We are committed to continually working with our customers to understand product & application requirements.

Over the years, Performance Elastomers has developed very strong partnerships with vendors to meet and exceed customer expectations.

To minimize lead-time and reduce cost, we are able to provide many value-added services, such as in-house die tooling, printing, cutting, splicing, and taping. What began with one extruder in a 10,000 square foot building is now 13 extruders in facilities spanning 100,000 square feet. We have the capacity to handle orders of any size, from prototypes to large production runs.

Performance Elastomers' primary focus is delivering a high-quality product that meets our customers' standards and expectations. Our top-of-the-line processes are continuously monitored by our extrusion, finishing, and quality control teams from start to finish. This ensures that you, the customer, receive the highest quality product to suit your business needs. We are also constantly updating, adapting, and improving our operations so that we can maximize our productivity and customer satisfaction.

CUSTOM CAPABILITIES

RUBBER & PLASTIC EXTRUSION

At the core of our competencies is our custom profiles capabilities. We currently have 4,000+ dies that we have engineered to satisfy a wide spectrum of needs from our customers. With 14 extruders in facilities spanning 110,000+ square feet, we have the capacity to handle orders of any size, from prototypes to large production runs.


We manufacture extruded rubber & plastic profiles in all shapes, sizes, lengths and materials including a wide range of sponge and solid rubber raw materials.

SECONDARY OPERATIONS

Performance Elastomers has a dedicated finishing department focused on secondary operations. This department allows us to better meet our customer's needs and expectations.

Secondary Operations:

- Taping (HATS & PSA)
- Cutting (Cut-to-Length, Precision, slitting)
- Slip Coating
- Splicing (Hot & Cold Bonded)
- Flocking
- Drilling & Punching
- Inline Printing
- Notching
- Special Packaging & Private Label Packaging



CUSTOM DIE

Our in-house tool and die shop allows us to meet the complex demands of custom extrusion. Our highly capable engineers can create custom dies to nearly any requirement configuration in order to produce any extrusions that suit our equipment and capabilities.

Benefits Include:


- Reduced Die Cost
- Improved Production Efficiencies
- Shorten Lead Times
- Improves On-Time Delivery

MATERIAL CAPABILITIES

Performance Elastomers is capable of manufacturing products from a wide range of rubber compounds. All our products are produced with high-quality compounds to exceed our customer's satisfaction and meet the application's function.

Current Materials Include:

- EPDM
- Silicone
- Neoprene
- TPO (Thermoplastic Polyolefin)
- TPV (Thermoplastic Vulcanizate)
- PE (Thermoplastic Elastomer)
- Nitrile
- Natural Rubber
- Styrene Butadiene Rubber (SBR)
- Polyisoprene
- Polyurethane



AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS


Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "


AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "



AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "



AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

TRIANGULAR & CORNER SEALS

AT VERO EOS ET ACCUSAMUS




Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

AT VERO EOS ET ACCUSAMUS



Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "



COVERS & WIPER SEALS


AT VERO E02 ET ACCUSAMUS

Wire Length: 64"
Base: 1.2" H
Shade: 6" H x 12" W x 12" D
Overall: 81" H x 40" W x 8.6" D



AT VERO E02 ET ACCUSAMUS

Wire Length: 64"
Base: 1.2" H
Shade: 6" H x 12" W x 12" D
Overall: 81" H x 40" W x 8.6" D



AT VERO E02 ET ACCUSAMUS

Wire Length: 64"
Base: 1.2" H
Shade: 6" H x 12" W x 12" D
Overall: 81" H x 40" W x 8.6" D



AT VERO EOS ET ACCUSAMUS


Overall: 81" H x 40" W x 8.6" D

Shade: 6" H x 15" W x 15" D

Base: 1.5" H

Wire Length: 64"

At vero eos et accusamus et iusto odio dignissimos At vero eos et accusamus et iusto odio dignissimos



AT VERO EOS ET ACCUSAMUS


Overall: 81" H x 40" W x 8.6" D

Shade: 6" H x 15" W x 15" D

Base: 1.5" H


Wire Length: 64"

At vero eos et accusamus et iusto odio dignissimos At vero eos et accusamus et iusto odio dignissimos




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "




AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "



AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "



AT VERO EOS ET ACCUSAMUS

Overall: 81" H x 40" W x 8.6" D
Shade: 6" H x 15" W x 15" D
Base: 1.5" H
Wire Length: 64 "

TUBES & CORD STOCK

Name	Height	Weight	Size	Unit	Price
Product 1	5"	20	5	1	58
Product 2	6"	16	5	2	56
Product 3	4"	15	5	1	25
Product 4	3"	12	3	5	45



Ti dolorem aut qui cum remporia eium est evendesedNin dum actur atus, noste hostrum ia visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ Catqui se acibus,
⌵ pari iam nosto efacric
⌵ ientris nosteruntra.
⌵ noste hostrum

PRODUCT NAME

Name	Height	Weight	Size	Unit	Price
Product 1	5"	20	5	1	58
Product 2	6"	16	5	2	56
Product 3	4"	15	5	1	25
Product 4	3"	12	3	5	45




Ti dolorem aut qui cum remporia eium est evendesedNin dum actur atus, noste hostrum ia visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ Catqui se acibus,
⌵ pari iam nosto efacric
⌵ ientris nosteruntra.
⌵ noste hostrum

TUBES & CORD STOCK

Name	Height	Weight	Size	Unit	Price
Product 1	5"	20	5	1	58
Product 2	6"	16	5	2	56
Product 3	4"	15	5	1	25
Product 4	3"	12	3	5	45



Ti dolorem aut qui cum remporia eium est evendesedNin dum actur atus, noste hostrum ia visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ Catqui se acibus,
⌵ pari iam nosto efacric
⌵ ientris nosteruntra.
⌵ noste hostrum

PRODUCT NAME

Name	Height	Weight	Size	Unit	Price
Product 1	5"	20	5	1	58
Product 2	6"	16	5	2	56
Product 3	4"	15	5	1	25
Product 4	3"	12	3	5	45



Ti dolorem aut qui cum remporia eium est evendesedNin dum actur atus, noste hostrum ia visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ visquam pat dius essi convere, tributem es iamdiena, utus cae mandame nturoximis;

⌵ Catqui se acibus,
⌵ pari iam nosto efacric
⌵ ientris nosteruntra.
⌵ noste hostrum



CONTACT US

ptat aut quidem fuga. Itae. Ime
molum qui is ut eum essus
quat doluptatori.

Call 987654321
Email mail@domain.com
www graphicsel.com

CONTACT US

ptat aut quidem fuga. Itae. Ime
molum qui is ut eum essus
quat doluptatori.

Call 987654321
Email mail@domain.com
www graphicsel.com

DECUM MOLTUS EGO VAT, NOCA; HACERDIT.

Moeris iam adductur publium vivitam quonferobse nirmis hos audemusquam ego ese abescerfex niquium hoctod prae tatu
quamditam seniquid Cupion Etratis. Potast L. Cupecum oculatur publintia? Opiempo ridiessate nondiem mortuus, quossatiam
enducto rtissa confece raris; notius pre, nortertintra ditiam oc, que nox morius, nosu mordi, C. Vivid compert ierisse nterena,
mo