





PINCH

Suggested Use: Gummies are an incredibly tactful way to slip a little relaxation and deliciousness into your hectic way of life. Start off small, maybe even cutting one in half, and see if you have your desired effect. Everyone is different so your results may vary.

Storage: Keep away from heat, light, and humidity to preserve freshness. Product will stay fresh 18 months from stamp date on bottle.

Caution: At this time, the Food and Drug Administration has not evaluated the efficacy of CBD. As such these products are not intended to diagnose, prevent, treat, or cure any disease and are not intended for pregnant or lactating mothers. If you experience any adverse symptoms after use, please discontinue and consult your doctor. Use only as directed.

Distributed By: RAE of Life / WWW.RAE.LIFE


PINCH

Serving Size: 25 mg. (1 softgel)
Servings Per Bottle: 30

Amount/Serving	%Daily Value
Cannabidiol (CBD)	25 mg*
Curcumin	10 mg

*Daily value not established.
Cannabidiol is a natural constituent of hemp oil.

Other Ingredients: Corn Syrup, Refined sugar, Pectin, Citric Acid, Natural Lemon Flavor, Natural Grape Flavor, Natural Orange Flavor, Natural Lemon Extract, Violet (BET) Color, Carotene, Lemon Concentrate, Red Grape Concentrate, Orange Juice Concentrate.


8500688034





PINCH

Serving Size: 25 mg. (1 softgel)	
Servings Per Bottle: 30	
Amount/Serving	%Daily Value
Cannabidiol (CBD)	25 mg*
Curcumin	10 mg
*Daily value not established.	
Cannabidiol is a natural constituent of hemp oil.	

Our broad spectrum oil and curcumin have 3-5 times the bioavailability of other brands allowing faster absorption helping you speed your recovery.

Other Ingredients: Polysorbate Emulsifiers, Medium Chain Triglycerides (MCT), Beta-Caryophyllene. Gelatin Shell: Bovine-derived Gelatin, Glycerin, Sorbitol and Water, Artificial Coloring which includes Red 40, Red 3, Yellow 5, Yellow 6, Blue 1, Blue 2.

Distributed By: RAE of Life / WWW.RAE.LIFE



CBD OIL SOFTGEL

RAE
REMEDIES OF LIFE

CURCUMIN

750 MG
PHYTOCANNABINOID
CBD

THIRTY SOFTGELS

DIETARY SUPPLEMENT

PINCH

Suggested Use: One softgel every 3-4 hours as needed. Onset may vary and can take anywhere from 25-40 minutes. For best results take on an empty stomach. Do not exceed two per day.

Storage: Keep away from heat, light, and humidity to preserve freshness. Product will stay fresh 18 months from stamp date on bottle.

Caution: At this time, the Food and Drug Administration has not evaluated the efficacy of CBD. As such these products are not intended to diagnose, prevent, treat, or cure any disease and are not intended for pregnant or lactating mothers. If you experience any adverse symptoms after use, please discontinue and consult your doctor. Use only as directed.









Serving Size: 25 mg. (1 softgel)
Servings Per Bottle: 30

Amount/Serving	%Daily Value
Cannabidiol (CBD)	25 mg*
Curcumin	10 mg

*Daily value not established.
Cannabidiol is a natural constituent of hemp oil.

Our patent pending water-soluble PCR hemp oil results in 3-5 times higher absorption rates than other CBD's delivered in oil form.

Other Ingredients: Polysorbate Emulsifiers, Medium Chain Triglycerides (MCT), Beta-Caryophyllene. Gelatin Shell: Bovine-derived Gelatin, Glycerin, Sorbitol and Water, Artificial Coloring which includes Red 40, Red 3, Yellow 5, Yellow 6, Blue 1, Blue 2.

Distributed By: RAE of Life / WWW.RAE.LIFE.E



8500688031

CBD OIL SOFTGEL

RAE
REMEDIES OF LIFE

NAKED

750 MG
PHYTOCANNABINOID
CBD

THIRTY SOFTGELS

DIETARY SUPPLEMENT

PINCH

Suggested Use: One softgel every 3-4 hours as needed. Onset may vary and can take anywhere from 25-40 minutes. For best results take on an empty stomach. Do not exceed two per day.

Storage: Keep away from heat, light, and humidity to preserve freshness. Product will stay fresh 18 months from stamp date on bottle.

Caution: At this time, the Food and Drug Administration has not evaluated the efficacy of CBD. As such these products are not intended to diagnose, prevent, treat, or cure any disease and are not intended for pregnant or lactating mothers. If you experience any adverse symptoms after use, please discontinue and consult your doctor. Use only as directed.







